(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
13 December 2001 (13.12.2001)

PCT

(10) International Publication Number
WO 01/94339 A1

(51) International Patent Classification[7]: C07D 401/06, 405/06, 409/06, 413/06, 417/06, 213/50, A01N 43/40

(21) International Application Number: PCT/EP01/06430

(22) International Filing Date: 7 June 2001 (07.06.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
1151/00 9 June 2000 (09.06.2000) CH

(71) Applicant *(for all designated States except US)*: **SYNGENTA PARTICIPATIONS AG** [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **EDMUNDS, Andrew** [GB/CH]; Clarastrasse 5, CH-4058 Basel (CH). **DE MESMAEKER, Alain** [BE/CH]; Ueligasse 31, CH-4447 Kaenerkinden (CH). **LÜTHY, Christoph** [CH/CH]; Mittelweg 1, CH-4142 Münchenstein (CH). **SCHAETZER, Jürgen** [DE/DE]; Holbeinstrasse 1, 79618 Rheinfelden (DE).

(74) Agent: **BASTIAN, Werner**; Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SUBSTITUTED PYRIDINE HERBICIDES

(57) Abstract: Compounds of the formula (I) in which the substituents are as defined in claim 1 are suitable for use as herbicides.



WO 01/94339 A1

SUBSTITUTED PYRIDINE HERBICIDES

The present invention relates to novel herbicidally active pyridine ketones, to processes for their preparation, to compositions which comprise these compounds, and to their use for controlling weeds, in particular in crops of useful plants, or for inhibiting plant growth.

Pyridine ketones having herbicidal action are described, for example, in WO 00/15815 and WO/0039094.

We have now found novel pyridine ketones having herbicidal and growth-inhibiting properties.

The present invention thus provides compounds of the formula I



(I),

in which

p is 0 or 1;

R_1 is a C_1-C_6alkylene, C_3-C_6alkenylene or C_3-C_6alkynylene chain which may be mono- or polysubstituted by halogen or R_5, where the unsaturated bonds of the chain are not attached directly to the substituent X_1;

X_1 is oxygen, -O(CO)-, -(CO)O-, -O(CO)O-, -N(R_6)-O-, -O-NR_{51}-, thio, sulfinyl, sulfonyl, -SO_2NR_7-, -$NR_{52}SO_2$- or –NR_8-;

R_2 is a C_1-C_6alkyl, C_3-C_6alkenyl or C_3-C_6alkynyl group which is mono- or polysubstituted by halogen, hydroxyl, amino, formyl, nitro, cyano, mercapto, carbamoyl, C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_3-C_6cycloalkyl, by halogen-substituted C_3-C_6cycloalkyl, or by C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, C_1-C_6haloalkoxy, C_3-C_6haloalkenyloxy, cyano-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkythio-C_1-C_6alkoxy, C_1-C_6alkyl-sulfinyl-C_1-C_6alkoxy, C_1-C_6alkylsulfonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl-C_1-C_6alkoxy,

C_1-C_6alkoxycarbonyl, C_1-C_6alkylcarbonyl, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylthio, C_1-C_6haloalkylsulfinyl, C_1-C_6haloalkylsulfonyl, oxiranyl, which for its part may be substituted by C_1-C_6alkyl, or by (3-oxetanyl)oxy, which for its part may be substituted by C_1-C_6alkyl, or by benzylthio, benzylsulfinyl, benzylsulfonyl, C_1-C_6alkylamino, di(C_1-C_6alkyl)amino, $R_9S(O)_2O$, $R_{10}N(R_{11})SO_2$-, thiocyanato, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl;
where the phenyl- or benzyl-containing groups for their part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro groups, or
R_2 is phenyl which may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro; or
R_2 is C_3-C_6cycloalkyl, C_1-C_6alkoxy- or C_1-C_6alkyl-substituted C_3-C_6cycloalkyl, 3-oxetanyl or C_1-C_6alkyl-substituted 3-oxetanyl;
or, if Q is Q_2 or Q_3, or is Q_1 in which R_{14} and R_{22} are a C_2-C_3alkylene chain, R_2 is additionally also a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic, saturated or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, where the ring system is attached directly or via a C_1-C_4alkylene, C_2-C_4alkenyl-C_1-C_4alkylene, C_2-C_4alkynyl-C_1-C_4alkylene, -$N(R_{12})$-C_1-C_4alkylene, -SO-C_1-C_4alkylene or -SO_2-C_1-C_4alkylene group to the substituent X_1 and where each ring system may not contain more than two oxygen atoms and not more than two sulfur atoms and the ring system for its part may be mono-, di- or trisubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_1-C_6alkoxy, hydroxyl, C_1-C_6haloalkoxy, C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, mercapto, C_1-C_6alkylthio, C_1-C_6haloalkylthio, C_3-C_6alkenylthio, C_3-C_6haloalkenylthio, C_3-C_6alkynylthio, C_2-C_6alkoxyalkylthio, C_3-C_6acetylalkylthio, C_3-C_6alkoxycarbonylalkylthio, C_2-C_4cyanoalkylthio, C_1-C_6alkylsulfinyl, C_1-C_6haloalkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylsulfonyl, aminosulfonyl, C_1-C_2alkylaminosulfonyl, di(C_1-C_2alkyl)aminosulfonyl, di(C_1-C_4alkyl)amino, halogen, cyano, nitro, phenyl and benzylthio, where phenyl and benzylthio for their part may be substituted on the phenyl ring by C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_1-C_3haloalkoxy, halogen, cyano or nitro, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen; or
R_2 is hydrogen or unsubstituted C_1-C_6alkyl if
a) R_1 is substituted by the group R_5, or
b) Q is the group Q_2, or

c) Q is the group Q_3 in which X_1 is -O(CO)-, -(CO)O-, -N(R_{51})-O-, -O-NR_{51}-, -SO_2NR_7-, -$NR_{52}SO_2$- or -NR_8-; or

d) Q is the group Q_4 in which X_1 is -N(R_6)-O-, -O-NR_{51}-, -SO_2NR_7-, -$NR_{52}SO_2$- or -NR_8-, or

e) Q is the group Q_4 in which R_{14} and R_{22} in Q_1 are a C_2-C_5alkylene chain and X_1 is -O(CO)- or -(CO)O-,

R_3 is C_1-C_3haloalkyl;

R_4 is hydrogen, halogen, C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_1-C_3alkoxy-C_1-C_3alkyl or C_1-C_3alkoxy-C_1-C_3alkoxy;

R_5 is hydroxyl, C_1-C_6alkoxy, C_3-C_6cycloalkyloxy, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy or C_1-C_2alkylsulfonyloxy;

R_6, R_7, R_8, R_9, R_{10}, R_{11}, R_{12}, R_{51} and R_{52} independently of one another are hydrogen, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxycarbonyl, C_1-C_6alkylcarbonyl, C_1-C_6alkoxy-C_1-C_6alkyl, C_1-C_6alkoxy-C_1-C_6alkyl substituted by C_1-C_6alkoxy, benzyl or phenyl, where phenyl and benzyl for their part may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro; where R_6 and R_9 are not simultaneously hydrogen and hydrogen, C_1-C_6alkoxycarbonyl or C_1-C_6alkylcarbonyl, respectively;

Q is Q_1



(Q_1);

in which

A_1 is C($R_{14}R_{15}$), NR_{16} or oxygen;

A_2 is C($R_{17}R_{18}$), C(O), -C=N-O-R_{19}, oxygen, thio, sulfinyl, sulfonyl, -NR_{20} or ethylene; with the provisos that A_1 is different from oxygen if A_2 is oxygen, C(O), thio, sulfinyl, -C=N-O-R_{19}, NR_{20} or C($R_{17}R_{18}$), where R_{17} and R_{18} independently of one another are C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl; and A_1 is different from NR_{16} if A_2 is thio, sulfinyl or C($R_{17}R_{18}$), where R_{17} and R_{18} independently of one another are C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl; R_{14} and R_{22} independently of one another are hydrogen, C_1-C_6alkyl, C_1-C_6haloalkyl, C_3-C_6alkenyl, C_3-C_6alkynyl, C_1-C_4alkylthio,

C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl, C_1-C_2alkylsulfonyloxy, C_1-C_4alkoxy, C_1-C_2alkoxycarbonyl or C_1-C_4alkylcarbonyl;

R_{15} and R_{21} independently of one another are hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_4alkenyl or C_3-C_4alkynyl;

R_{17} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl or C_1-C_4alkylsulfonyl;

R_{18} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl or C_1-C_4dialkoxyalkyl-C_1-C_2alkyl;

R_{20} is C_1-C_8alkyl, C_3-C_6cycloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, C_1-C_4alkylcarbonyl, C_1-C_4alkylcarbonyloxy, di(C_1-C_4alkyl)aminocarbonyl or benzyl, where the phenyl group may be mono- or polysubstituted by C_1-C_5alkyl, C_1-C_5haloalkyl, C_1-C_5alkoxy, C_1-C_5haloalkoxy, halogen, cyano, hydroxyl or nitro;

R_{19} and R_{18} independently of one another are hydrogen, C_1-C_4alkyl, C_3-C_5cycloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, benzyl or phenyl, where phenyl and benzyl for their part may be mono- or polysubstituted by C_1-C_5alkyl, C_1-C_5haloalkyl, C_1-C_5alkoxy, C_1-C_5haloalkoxy, halogen, cyano, hydroxyl or nitro;

or R_{14} and R_{22} together form a C_2-C_3alkylene chain;

or R_{14} and R_{15} together and/or R_{17} and R_{18} together and/or R_{21} and R_{22} together form a C_2-C_4alkylene chain which may be interrupted by oxygen and/or carbonyl and/or sulfur, with the proviso that the oxygen and sulfur atoms are separated by at least one methylene group;

or R_{14} and R_{18} together form a C_2-C_4alkylene chain; or

R_{22} and R_{18} together form a C_2-C_4alkylene chain;

or R_{18} together with R_{22} or R_{14} forms a direct bond;

or R_{16} and R_{18} together form a C_2-C_4alkylene chain;

R_{13} is hydroxyl, O^-M^+, where M^+ is an alkali metal cation or ammonium cation, halogen, C_1-C_{12}alkylsulfonyloxy, amino, C_1-C_4alkylthio, C_1-C_{12}alkylsulfinyl, C_1-C_{12}alkylsulfonyl, C_1-C_{12}haloalkylthio, C_1-C_{12}haloalkylsulfinyl, C_1-C_{12}haloalkylsulfonyl, C_1-C_6alkoxy-C_1-C_6alkylthio, C_1-C_6alkoxy-C_1-C_6alkylsulfinyl, C_1-C_6alkoxy-C_1-C_6alkylsulfonyl, C_3-C_{12}alkenylthio, C_3-C_{12}alkenylsulfinyl, C_3-C_{12}alkenylsulfonyl, C_3-C_{12}alkynylthio, C_3-C_{12}alkynylsulfinyl, C_3-C_{12}alkynylsulfonyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylthio, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfinyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfonyl, $(C_1$-C_4alkoxy$)_2$P(O)O, C_1-C_4alkyl-(C_1-C_4alkoxy)P(O)O, H(C_1-C_4alkoxy)P(O)O, $R_{23}R_{24}N$, $R_{25}R_{26}NNH$, $R_{27}R_{28}NC(O)O$-, $R_{29}R_{30}NC(O)NH$-, C_1-C_{18}alkylcarbonyloxy, C_2-C_{18}alkenylcarbonyloxy, C_2-C_{18}alkynylcarbonyloxy, C_3-C_6cycloalkylcarbonyloxy, C_1-C_{12}alkoxycarbonyloxy, C_1-C_{12}alkylthio-

carbonyloxy, C_2-C_{12}alkylthiocarbamoyl, where the alkyl, alkenyl and alkynyl groups may be substituted by halogen, C_1-C_6alkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl or cyano;

or R_{15} is phenoxy, phenylthio, phenylsulfinyl, phenylsulfonyl, phenylsulfonylamino, phenylsulfonyloxy or benzoyloxy, where the phenyl groups for their part may be substituted by one or more halogen, nitro, cyano, C_1-C_4alkyl, C_1-C_4haloalkyl, C_1-C_4alkoxy or C_1-C_4haloalkoxy groups;

or R_{15} is a group Het_1-thio, Het_2-sulfinyl, Het_3-sulfonyl, Het_4-(CO)O or Het_5-N(R_{33}); in which Het_1, Het_2, Het_3, Het_4 and Het_5 independently of one another are a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, and where each ring system may not contain more than 2 oxygen atoms and not more than 2 sulfur atoms, and where the ring system itself can be substituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, di(C_1-C_6alkyl)aminosulfonyl, di(C_1-C_4alkyl)amino, halogen, cyano, nitro or phenyl, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen;

R_{23}, R_{24}, R_{25}, R_{26}, R_{27}, R_{28}, R_{29}, R_{30} and R_{33} independently of one another are hydrogen or C_1-C_6alkyl;

or R_{23} and R_{24} together or R_{25} and R_{26} together or R_{27} and R_{28} together or R_{29} and R_{30} together are pyrolidino, piperidino, morpholino, thiomorpholino, which may be mono- or polysubstituted by methyl groups;

or Q is Q_2



(Q_2);

in which

R_{34} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_6cycloalkyl, C_2-C_4alkenyl, C_2-C_4alkynyl or benzyl, where the phenyl group may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro;

R_{35} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_6cycloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl or benzyl, where the phenyl group may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro;

R_{36} is hydroxyl, O^-M^+, where M^+ is an alkali metal cation or ammonium cation, halogen, C_1-C_{12}alkylsulfonyloxy, amino, C_1-C_4alkylthio, C_1-C_{12}alkylsulfinyl, C_1-C_{12}alkylsulfonyl, C_1-C_{12}haloalkylthio, C_1-C_{12}haloalkylsulfinyl, C_1-C_{12}haloalkylsulfonyl, C_1-C_6alkoxy-C_1-C_6alkylthio, C_1-C_6alkoxy-C_1-C_6alkylsulfinyl, C_1-C_6alkoxy-C_1-C_6alkylsulfonyl, C_3-C_{12}alkenylthio, C_3-C_{12}alkenylsulfinyl, C_3-C_{12}alkenylsulfonyl, C_3-C_{12}alkynylthio, C_3-C_{12}alkynylsulfinyl, C_3-C_{12}alkynylsulfonyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylthio, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfinyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfonyl, $(C_1$-C_4alkoxy$)_2P(O)O$, C_1-C_4alkyl-$(C_1$-C_4alkoxy$)P(O)O$, $H(C_1$-C_4alkoxy$)P(O)O$, $R_{37}R_{38}N$, $R_{39}R_{40}NNH$, $R_{41}R_{42}NC(O)O$-, $R_{43}R_{44}NC(O)NH$-, C_1-C_{18}alkylcarbonyloxy, C_2-C_{18}alkenylcarbonyloxy, C_2-C_{18}alkynylcarbonyloxy, C_3-C_8cycloalkylcarbonyloxy, C_1-C_{12}alkoxycarbonyloxy, C_1-C_{12}alkylthiocarbonyloxy or C_1-C_{12}alkylthiocarbamoyl, where the alkyl, alkenyl and alkynyl groups may be substituted by halogen, C_1-C_6alkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl or cyano; or

R_{36} is phenoxy, phenylthio, phenylsulfinyl, phenylsulfonyl, phenylsulfonylamino, phenylsulfonyloxy or benzoyloxy, where the phenyl groups for their part may be mono- or polysubstituted by halogen, nitro, cyano, C_1-C_4alkyl, C_1-C_4haloalkyl, C_1-C_4alkoxy, C_1-C_4haloalkoxy,

or R_{36} is a group Het_7-thio, Het_8-sulfinyl, Het_9-sulfonyl, Het_{10}-(CO)O or Het_{11}-N(R_{47}); in which Het_7, Het_8, Het_9, Het_{10} and Het_{11} independently of one another are a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, and where each ring system may not contain more than 2 oxygen atoms and not more than 2 sulfur atoms, and where the ring system for its part may be substituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, di(C_1-C_4alkyl)aminosulfonyl, di(C_1-C_4alkyl)amino, halogen, cyano, nitro or phenyl, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen;

R_{37}, R_{39}, R_{39}, R_{40}, R_{41}, R_{42}, R_{43}, R_{44} and R_{47} independently of one another are hydrogen or C_1-C_6alkyl; or

R_{37} and R_{38} together or R_{39} and R_{40} together or R_{41} and R_{42} together or R_{43} and R_{44} together are pyrolidino, piperidino, morpholino, thiomorpholino, which may be mono- or polysubstituted by methyl groups;
or Q is Q_3



(Q_3);

in which
R_{49} is C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_6cycloalkyl or halogen-substituted C_3-C_6cycloalkyl;
R_{50} is C_1-C_6alkylene which may be substituted by halogen, hydroxyl, C_1-C_6alkoxy, C_2-C_6alkenyl, C_2-C_6alkynyl, C_3-C_6cycloalkyl, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy, (3-oxetanyl)oxy, or by C_1-C_6alkyl-substituted (3-oxetanyl)oxy, or by benzylthio, benzylsulfinyl, benzylsulfonyl, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, where the phenyl- and benzyl-containing groups for their part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro groups;
or R_{50} is phenyl, where the phenyl-containing group for its part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro,
or R_{50} is C_3-C_6cycloalkyl, C_1-C_6alkoxy- or C_1-C_6alkyl-substituted C_3-C_6cycloalkyl, 3-oxetanyl or C_1-C_6alkyl-substituted 3-oxetanyl; and
n is 0, 1 or 2; and agronomically acceptable salts/N-oxides/isomers/enantiomers of these compounds.

The alkyl groups occurring in the definitions of the substituents can be straight-chain or branched and are, for example, methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, iso-butyl, tert-butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl and dodecyl and their branched isomers. Alkoxy, alkenyl and alkynyl radicals are derived from the alkyl radicals mentioned. The alkenyl and alkynyl groups can be mono- or polyunsaturated.

Halogen is generally fluorine, chlorine, bromine or iodine, preferably fluorine and chlorine. This also applies, correspondingly, to halogen in combination with other meanings, such as haloalkyl or halophenyl.

Haloalkyl groups preferably have a chain length of from 1 to 6 carbon atoms. Haloalkyl is, for example, fluoromethyl, difluoromethyl, trifluoromethyl, chloromethyl, dichloromethyl, trichloromethyl, 2,2,2-trifluoroethyl, 2-fluoroethyl, 2-chloroethyl, pentafluoroethyl, 1,1-difluoro-2,2,2-trichloroethyl, 2,2,3,3-tetrafluoroethyl and 2,2,2-trichloroethyl; preferably trichloromethyl, difluorochloromethyl, difluoromethyl, trifluoromethyl and dichlorofluoromethyl.

Suitable haloalkenyl groups are alkenyl groups which are mono- or polysubstituted by halogen, halogen being fluorine, chlorine, bromine and iodine and in particular fluorine and chlorine, for example 2,2-difluoro-1-methylvinyl, 3-fluoropropenyl, 3-chloropropenyl, 3-bromopropenyl, 2,3,3-trifluoropropenyl, 2,3,3-trichloropropenyl and 4,4,4-trifluorobut-2-en-1-yl. Among the C_3-C_{20}alkenyl groups which are mono-, di- or trisubstituted by halogen, preference is given to those having a chain length of from 3 to 5 carbon atoms.

Suitable haloalkynyl groups are, for example, alkynyl groups which are mono- or polysubstituted by halogen, halogen being bromine, iodine and in particular fluorine and chlorine, for example 3-fluoropropynyl, 3-chloropropynyl, 3-bromopropynyl, 3,3,3-trifluoropropynyl and 4,4,4-trifluorobut-2-yn-1-yl. Among the alkynyl groups which are mono- or polysubstituted by halogen, preference is given to those having a chain length of from 3 to 5 carbon atoms.

In the context of the present invention, the alkali metal cation M^+ (for example in the definition of R_{13}) is preferably the sodium cation or the potassium cation.

Alkoxy groups preferably have a chain length of from 1 to 6 carbon atoms. Alkoxy is, for example, methoxy, ethoxy, propoxy, i-propoxy, n-butoxy, isobutoxy, sec-butoxy and tert-butoxy and also the isomeric pentyloxy and hexyloxy radicals; preferably methoxy and ethoxy. Alkylcarbonyl is preferably acetyl or propionyl. Alkoxycarbonyl is, for example, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl, isopropoxycarbonyl, n-butoxycarbonyl, isobutoxycarbonyl, sec-butoxycarbonyl or tert-butoxycarbonyl; preferably methoxycarbonyl or ethoxycarbonyl. Haloalkoxy groups preferably have a chain length of from 1 to 8 carbon

atoms. Haloalkoxy is, for example, fluoromethoxy, difluoromethoxy, trifluoromethoxy, 2,2,2-trifluoroethoxy, 1,1,2,2-tetrafluoroethoxy, 2-fluoroethoxy, 2-chloroethoxy, 2,2-difluoroethoxy and 2,2,2-trichloroethoxy; preferably difluoromethoxy, 2-chloroethoxy and trifluoromethoxy. Alkylthio groups preferably have a chain length of from 1 to 8 carbon atoms. Alkylthio is, for example, methylthio, ethylthio, propylthio, isopropylthio, n-butylthio, isobutylthio, sec-butylthio or tert-butylthio, preferably methylthio and ethylthio. Alkylsulfinyl is, for example, methylsulfinyl, ethylsulfinyl, propylsulfinyl, isopropylsulfinyl, n-butylsulfinyl, isobutylsulfinyl, sec-butylsulfinyl, tert-butylsulfinyl; preferably methylsulfinyl and ethylsulfinyl.

Alkylsulfonyl is, for example, methylsulfonyl, ethylsulfonyl, propylsulfonyl, isopropylsulfonyl, n-butylsulfonyl, isobutylsulfonyl, sec-butylsulfonyl or tert-butylsulfonyl; preferably methylsulfonyl or ethylsulfonyl. Alkoxyalkoxy groups preferably have a chain length of from 1 to 8 carbon atoms. Examples of alkoxyalkoxy groups are: methoxymethoxy, methoxyethoxy, methoxypropoxy, ethoxymethoxy, ethoxyethoxy, propoxymethoxy or butoxybutoxy. Alkylamino is, for example, methylamino, ethylamino, n-propylamino, isopropylamino or the isomeric butylamines. Dialkylamino is, for example, dimethylamino, methylethylamino, diethylamino, n-propylmethylamino, dibutylamino and diisopropylamino. Preference is given to alkylamino groups having a chain length of from 1 to 4 carbon atoms. Alkoxyalkyl groups preferably have a chain length of 1 to 6 carbon atoms. Alkoxyalkyl is, for example, methoxymethyl, methoxyethyl, ethoxymethyl, ethoxyethyl, n-propoxymethyl, n-propoxyethyl, isopropoxymethyl or isopropoxyethyl. Alkylthioalkyl groups preferably have from 1 to 8 carbon atoms. Alkylthioalkyl is, for example, methylthiomethyl, methylthioethyl, ethylthiomethyl, ethylthioethyl, n-propylthiomethyl, n-propylthioethyl, isopropylthiomethyl, isopropylthioethyl, butylthiomethyl, butylthioethyl or butylthiobutyl. The cycloalkyl groups preferably have from 3 to 8 ring carbon atoms, for example cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl and cyclooctyl. Phenyl, also as part of a substituent such as phenoxy, benzyl, benzyloxy, benzoyl, phenylthio, phenylalkyl, phenoxyalkyl, may be substituted. In this case, the substituents can be in ortho, meta and/or para position. The preferred substituent positions are the ortho and para positions to the ring attachment point.

The compounds of the formula I may occur in different tautomeric forms, for example, if R_{13} is hydroxyl, in the preferred formulae I' and I'''



I'



I''



I'''



I''''

The invention also embraces the salts which can be formed by compounds of the formula I, preferably with amines, alkali metal and alkaline earth metal bases or quarternary ammonium bases. Suitable salt formers are described, for example, in WO 98/41089.

The invention also embraces the salts which can be formed by the compounds of the formula I with amines, alkali metal and alkaline earth metal bases or quarternary ammonium bases. Among the alkali metal and alkaline earth metal hydroxides, the hydroxides of lithium, sodium, potassium, magnesium or calcium, in particular those of sodium or potassium, may be emphasized as salt formers.

Examples of amines suitable for ammonium salt formation are both ammonia and primary, secondary and tertiary C_1-C_{18}alkylamines, C_1-C_4hydroxyalkylamines and C_2-C_4alkoxy-alkylamines, for example methylamine, ethylamine, n-propylamine, isopropylamine, the four isomeric butylamines, n-amylamine, isoamylamine, hexylamine, heptylamine, octylamine,

nonylamine, decylamine, pentadecylamine, hexadecylamine, heptadecylamine, octadecylamine, methylethylamine, methylisopropylamine, methylhexylamine, methylnonylamine, methylpentadecylamine, methyloctadecylamine, ethylbutylamine, ethylheptylamine, ethyloctylamine, hexylheptylamine, hexyloctylamine, dimethylamine, diethylamine, di-n-propylamine, diisopropylamine, di-n-butylamine, di-n-amylamine, diisoamylamine, dihexylamine, diheptylamine, dioctylamine, ethanolamine, n-propanolamine, isopropanolamine, N,N-diethanolamine, N-ethylpropanolamine, N-butylethanolamine, allylamine, n-butenyl-2-amine, n-pentenyl-2-amine, 2,3-dimethylbutenyl-2-amine, dibutenyl-2-amine, n-hexenyl-2-amine, propylenediamine, trimethylamine, triethylamine, tri-n-propylamine, triisopropylamine, tri-n-butylamine, triisobutylamine, tri-sec-butylamine, tri-n-amylamine, methoxyethylamine and ethoxyethylamine; heterocyclic amines, for example pyridine, quinoline, isoquinoline, morpholine, piperidine, pyrrolidine, indoline, quinuclidine and azepine; primary arylamines, for example anilines, methoxyanilines, ethoxyanilines, o,m,p-toluidines, phenylenediamines, benzidines, naphthylamines and o,m,p-chloroanilines; but in particular triethylamine, isopropylamine and diisopropylamine.

Preferred quarternary ammonium bases which are suitable for salt formation correspond, for example, to the formula $[N(R_a R_b R_c R_d)]OH$, in which R_a, R_b, R_c and R_d independently of one another are C_1-C_4alkyl. Other suitable tetraalkylammonium bases with other anions can be obtained, for example, by anion exchange reactions.

Compounds of formula I, wherein p is 0, are preferred.

Preferred compounds of the formula I are those in which R_1 is $-CH_2-$, $-CH_2CH_2-$, $-CF_2-$, $-CH{=}CHCH_2-$, $-CH(CH_3)-$ or $-C{\equiv}CCH_2-$, but particularly preferably $-CH_2-$ where in each case the free valences on the left are attached to the pyridine ring.

Preference is furthermore given to those compounds of the formula I, in which X_1 is oxygen, sulfonyl or a group $-NR_{62}SO_2-$, in particular oxygen.

Of particular interest are compounds of the formula I, in which R_2 is $-CH_2OCH_3$, $-CH_2OCH_2CH_3$, $-CH_2CH_2OCH_3$, $-CH_2CH_2SO_2CH_3$ or $-CH_2CH_2OCH_2CH_2OCH_3$, preferably $-CH_2CH_2OCH_3$, those compounds standing out in which X_1 is oxygen and R_1 is $-CH_2-$.

Among this group, preference is given to those compounds in which Q is Q_1 and R_{13} is hydroxyl.

Emphasis is furthermore given to the compounds of the formula I in which R_2



, or


. If, in these preferred meanings of R_2, no free valency is indicated, as, for example, in the case of  , the point of attachment is the carbon atom indicated by "CH".

In a further preferred group of compounds of the formula I, R_3 is CF_3, CF_2CF_3, CF_2Cl, CF_2H or CCl_3, particularly preferably CF_3, where R_4 is preferably hydrogen or methyl, particularly preferably hydrogen.

R_6, R_7, R_8, R_9, R_{10}, R_{11}, R_{12}, R_{51} and R_{52} independently of one another are in particular hydrogen, C_1-C_4alkyl, C_1-C_6alkoxy-C_1-C_6alkyl or C_1-C_6alkoxy-C_1-C_6alkyl which is substituted by C_1-C_6alkoxy, where in a preferred group of compounds of the formula I additionally Q is Q_2 and R_1 is methylene.

Very particularly preferably, Q is Q_1 and R_{13} is hydroxyl or halogen, in particular hydroxyl. Among this group, emphasis is given to those compounds in which
a) A_1 is $C(R_{14}R_{15})$ or NR_{16} and A_2 is $C(R_{17}R_{18})$, C(O) or oxygen, or
b) A_1 is $C(R_{14}R_{15})$ and A_2 is $C(R_{17}R_{18})$ and R_{14} and R_{22} together form a C_2-C_3alkylene chain, preferably an ethylene chain, where R_{15}, R_{17}, R_{18} and R_{21} are particularly preferably hydrogen; or
c) A_2 is C(O) or $C(R_{17}R_{18})$, A_1 is $C(R_{14}R_{15})$ and R_{14}, R_{15}, R_{17} and R_{18} independently of one another are hydrogen, methyl, ethyl, methoxycarbonyl or ethoxycarbonyl; or
d) R_{14} and R_{15} or R_{21} and R_{22} together form a C_2alkylene chain (cyclopropyl ring), A_2 is CH_2 and R_{21} and R_{22} or R_{14} and R_{15} independently of one another are hydrogen, C_1-C_4alkyl, methoxycarbonyl or ethoxycarbonyl; or
e) A_2 is $C(R_{17}R_{18})$ and A_1 is $C(R_{14}R_{15})$ and R_{18} and R_{14} together form a C_2-C_3alkylene chain.

In a further outstanding group of compounds of the formula I, Q is Q_3, R_{49} is cyclopropyl and R_{50}-$S(O)_n$ is methylthio, ethylthio, methylsulfinyl, ethylsulfinyl, methylsulfonyl or ethylsulfonyl.

The compounds of the formula I can be prepared by processes known per se, for example those described in WO 97/46530 or WO 00/15615 or WO/0039094, for example in the case of compounds of the formula I,



(I)

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I and Q is a group



(Q$_1$),

by, for example, either

a) reacting a compound of the formula Ia



(Ia),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I and Y_1 is a leaving group, for example halogen or cyano, in an inert organic solvent in the presence of a base with a compound of the formula II



(II),

in which R_{22}, R_{21}, A_2 and A_1 are as defined under formula I, to give the compounds of the formulae IIIa and IIIb



IIIa



IIIb

and then isomerizing these for example in the presence of a base and a catalytic amount of dimethylaminopyridine (DMAP) or a source of cyanide, for example acetone cyanohydrin; or b) reacting a compound of the formula Ib



(Ib),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I, with a compound of the formula II



(II),

in which R_{22}, R_{21}, A_1 and A_2 are as defined under formula I, in an inert organic solvent in the presence of a base and a coupling agent to give the compounds of the formula IIIa or IIIb



IIIa



IIIb

and then isomerizing these, for example as described under route a).

Compounds of the formula I, in which Q is a group



are prepared similarly to a known process (for example WO 97/46530), wherein either

a) a compound of the formula Ia



(Ia),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I and Y_1 is a leaving group, for example halogen or cyano, is reacted with a compound of the formula IIa



(IIa),

in which R_{34} and R_{35} are as defined, in an inert organic solvent in the presence of a base to give the compound of the formula IIIc



IIIc

in which R_1, R_2, R_3, R_4, R_{34}, R_{35} and X_1 are as defined under formula I, and this compound is then isomerized, for example in the presence of a base and a catalytic amount of a source of cyanide; or

b) a compound of the formula Ib



(Ib),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I, is reacted with a compound of the formula IIa



(IIa),

in which R_{34} and R_{35} are as defined above, in an inert organic solvent in the presence of a base and a coupling agent to give the compound of the formula IIIc



(IIIc),

and this compound is then isomerized as described under route a).

The compounds of the formula I, in which Q is a group



(Q_5),

in which n is 0 and R_{50} and R_{49} are as defined above, are prepared similarly to known processes (for example those described in WO 00/15615, WO/0039094 or WO 97/43270), wherein either

a) a compound of the formula IV



(IV),

in which X_1, R_1, R_2, R_3, R_4 and R_{49} are as defined above, is converted in the presence of a base, carbon disulfide and an alkylating agent of the formula V

R_{50}-Y_2 (V),

in which R_{50} is as defined under formula I, and Y_2 is a leaving group, for example halogen or sulfonate, into the compound of the formula VI



(VI),

in which R_1, R_2, R_3, R_4, R_{50}, X_1 and R_{49} are as defined above, and this compound is then cyclized with hydroxylamine hydrochloride, if appropriate in a solvent, in the presence of a base, for example sodium acetate, to give the isomeric compounds of the formulae Ic and Id



and



(Ic) (Id)

and these compounds are then oxidized with an oxidizing agent, for example with peracids, for example meta-chloroperbenzoic acid (m-CPBA) or peracetic acid, to give the corresponding sulfoxides (n = 1) and sulfones (n = 2) of the formulae Ie and If, respectively. Isomers of the formulae Ic and Id (in which n = 0) or Ie and If (in which n = 1 or 2) can be separated and purified by column chromatography, using a suitable mobile phase.

The intermediates of the formulae Ia, Ib, IV and VI are novel and were developed specifically for the preparation of the compounds of the formula I. Accordingly, they also form part of the subject-matter of the present invention. Together, the novel intermediates of the formulae Ia, Ib, IV and VI correspond to formula XX



(XX),

in which

Q is hydroxyl, halogen, cyano or C_1-C_6alkoxy, or is a group of the formula



or $-CH_2(CO)R_{49}$; and

R_1, R_3, R_4, R_{49}, R_{50}, X_1 and p are as defined under formula I and R_2 is a C_1-C_8alkyl, C_3-C_8alkenyl or C_3-C_8alkynyl group which is mono- or polysubstituted by halogen, hydroxyl, amino, formyl, nitro, cyano, mercapto, carbamoyl, C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_3-C_6cycloalkyl, by halogen-substituted C_3-C_6cycloalkyl, or by C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, C_1-C_6haloalkoxy, C_3-C_6haloalkenyloxy, cyano-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_5alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkylthio-C_1-C_6alkoxy, C_1-C_6alkylsulfinyl-C_1-C_6alkoxy, C_1-C_6alkylsulfonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_1-C_6alkylcarbonyl, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylthio, C_1-C_6haloalkylsulfinyl, C_1-C_6-haloalkylsulfonyl, oxiranyl, which for its part may be substituted by C_1-C_6alkyl, or by (3-oxetanyl)oxy, which for its part may be substituted by C_1-C_6alkyl, or by benzylthio, benzylsulfinyl, benzylsulfonyl, C_1-C_6alkylamino, di(C_1-C_6alkyl)amino, $R_8S(O)_2O$, $R_{10}N(R_{11})SO_2$-, thiocyanato, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl; where the phenyl- or benzyl-containing groups for their part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro groups, or

R_2 is phenyl which may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro; or

R_2 is C_3-C_6cycloalkyl, C_1-C_6alkoxy- or C_1-C_6alkyl-substituted C_3-C_6cycloalkyl, 3-oxetanyl or C_1-C_6alkyl-substituted 3-oxetanyl;

or

if X_1 is -N(R_8)-O-, -O-NR_{51}, SO_2NR_7- or -$NR_{52}SO_2$- and R_6, R_7, R_{51} and R_{52} are as defined under formula I,

R_2 may additionally be hydrogen, unsubstituted C_1-C_6alkyl, or

a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic, saturated or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, where the ring system is attached directly or via a C_1-C_4alkylene, C_2-C_4alkenyl-C_1-C_4alkylene, C_2-C_4alkynyl-C_1-C_4alkylene, -N(R_{12})-C_1-C_4alkylene, -SO-C_1-C_4alkylene or -SO_2-C_1-C_4alkylene group to the substituent X_1, and where each ring system may not contain more than 2 oxygen atoms and not more than two sulfur atoms, and where the ring system for its part may be mono-, di- or trisubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_1-C_6alkoxy, hydroxyl, C_1-C_6haloalkoxy, C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, mercapto, C_1-C_6alkylthio, C_1-C_6-haloalkylthio, C_3-C_6alkenylthio, C_3-C_6haloalkenylthio,

C_2-C_6alkynylthio, C_2-C_5alkoxyalkylthio, C_3-C_6acetylalkylthio, C_3-C_6alkoxycarbonylalkylthio, C_2-C_4cyanoalkylthio, C_1-C_6alkylsulfinyl, C_1-C_6haloalkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylsulfonyl, aminosulfonyl, C_1-C_2alkylaminosulfonyl, di(C_1-C_2alkyl)aminosulfonyl, di(C_1-C_6alkyl)amino, halogen, cyano, nitro, phenyl and benzylthio, where phenyl and benzylthio for their part may be substituted on the phenyl ring by C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_1-C_3haloalkoxy, halogen, cyano or nitro, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen.

The preparation of the compounds of the formula I is illustrated in more detail in reaction schemes 1 and 2 below.

Reaction scheme 1

Route a):



Route b):



Reaction scheme 1 is preferably used to prepare the compounds of the formula I having the group Q_1, in which R_{19} is hydroxyl, and the compounds of the formula I having the group Q_2, in which R_{36} is hydroxyl.

Reaction scheme 2



Compounds of the formula I, in which p is 1, i.e. the corresponding N-oxides of the formula I, can be prepared by reacting a compound of the formula I, in which p is 0, with a suitable oxidizing agent, for example the H_2O_2/urea adduct in the presence of an acid anhydride, e.g. trifluoroacetic anhydride. Such oxidations are known from the literature, for example from *J. Med. Chem.*, *32* (12), 2561-73, **1989** or WO 00/15615.

According to reaction scheme 1, route a), the carboxylic acid derivatives of the formula Ia in which Y_1 is a leaving group such as halogen, for example iodine, bromine, and in particular chlorine, N-oxyphthalimide or N,O-dimethylhydroxylamino or part of an activated ester, for example  (formed from dicyclohexylcarbodiimide (DCC) and the

corresponding carboxylic acid) or (formed from N-ethyl N'-(3-dimethylaminopropyl)carbodiimide (EDC) and the corresponding carboxylic acid) are used as starting materials for preparing the compounds of the formula I in which Q denotes the groups Q_1 and Q_2 and R_{13} and R_{36} are hydroxyl. The starting materials are reacted in an inert organic solvent such as a halogenated hydrocarbon, for example dichloromethane, a nitrile, for example acetonitrile, or an aromatic hydrocarbon, for example toluene, and in the presence of a base such as an alkylamine, for example triethylamine, an aromatic amine, for example pyridine or 4-dimethylaminopyridine (DMAP) with the dione derivatives of the formula II or pyrazoles of the formula IIa, to give the isomeric enol ethers of the formula IIIa, IIIb or IIIc. This esterification can be carried out at temperatures of from 0°C to 110°C.

The isomerization of the ester derivatives of the formulae IIIa, IIIb and IIIc to derivatives of the formula I (in which R_{13} and R_{36} are hydroxyl) can be carried out, for example, similarly to EP-A-0 353 187, EP-A-0 316 491 or WO 97/46530 in the presence of a base such as an alkylamine, for example triethylamine, a carbonate, for example potassium carbonate, and a catalytic amount of DMAP or a source of cyanide, such as acetone cyanohydrin or potassium cyanide. In particular if a cyanide compound of the formula Ia (Y_1 = cyano) is used, or in the presence of a catalytic amount of acetone cyanohydrin or potassium cyanide, the two reaction steps can be carried out *in situ* without isolating the intermediates III.

According to reaction scheme 1, route b), the desired derivatives of the formula I (in which R_{13} and R_{36} are hydroxyl) can be obtained, for example, similarly to E. Haslem, *Tetrahedron*, 2409-2433, *36*, 1980, by esterifying the carboxylic acids of the formula Ib with the dione derivatives of the formula II or pyrazoles of the formula IIa in an inert solvent such as a halogenated hydrocarbon, for example dichloromethane, a nitrile, for example acetonitrile, or an aromatic hydrocarbon, for example toluene, in the presence of a base such as an alkylamine, for example triethylamine, and a coupling agent such as 2-chloro-1-methylpyridinium iodide. Depending on the solvent used, this esterification is carried out at temperatures of from 0°C to 110°C, giving initially, as described under route a), the isomeric ester of the formula IIIa, IIIb or IIIc, which can be isomerized as described under route a), for example in the presence of a base and a catalytic amount of DMAP, or a source of cyanide, for example acetone cyanohydrin, to give the desired derivative of the formula I (R_{13} and R_{36} = hydroxyl). The activated carboxylic acid derivatives of the formula Ia in reaction scheme 1 (route a), in which Y_1 is a leaving group such as halogen, for example bromine, iodine or, in particular, chlorine, can be prepared by known standard processes, for example

those described in C. Ferri "Reaktionen der organischen Synthese" [Reactions of organic sythesis], Georg Thieme Verlag, Stuttgart, 1978, page 460 ff. Such reactions are generally known and described in the literature in different variations with respect to the leaving group Y_1.

The preparation of the compounds of the formula I, in which Q denotes the group Q_3, can be carried out according to reaction scheme 2 by reacting the β-diketone derivative of the formula IV for example similarly to *Synthesis* **1991**, 301; ibid. **1988**, 793; or *Tetrahedron 32*, 3055, **1976**, with carbon disulfide in the presence of a base such as a carbonate, for example potassium carbonate, a metal hydride, for example sodium hydride, or potassium fluoride on aluminum, and an alkylating agent of the formula V, in which Y_2 is a leaving group such as halogen, for example iodine, bromine and, in particular, chlorine, CH_3SO_2O- or



. This reaction is expediently carried out in a solvent such as an amide, for example N,N-dimethylformamide (DMF), a sulfoxide, for example dimethyl sulfoxide (DMSO), or a nitrile, for example acetonitrile. The ketene thioacetal of the formula VI that is formed is cyclized with the aid of hydroxylamine hydrochloride in the presence of a base such as sodium acetate in a solvent such as an alcohol, for example ethanol, or an ether, for example tetrahydrofuran, to give the isomeric compounds of the formulae Ic and Id (in which n is 0). This cyclization reaction is carried out at temperatures of from 0°C to 100°C. If appropriate, the compounds of the formulae Ic and Id in which n is 0 can be oxidized similarly to known standard processes as described, for example, in H. O. House, "Modern Synthetic Reactions", W. A. Benjamin, Inc., Menlo Park, California, 1972, pages 334-335 and 353-354, to give the corresponding sulfones and sulfoxides of the formulae Ie and If (n = 1 or 2).

The compounds of the formula IV in reaction scheme 2 can be obtained by standard processes for example from the corresponding compounds of the formula Ia



(Ia),

in which R_1, R_2, R_3, R_4, and X_1 are as defined above and Y_1 is a leaving group, for example halogen, for example by Claisen condensation, or from the compounds of the formula Ia by reaction with a ketocarboxylic acid salt of the formula VII

(VII),

in which R_{49} is as defined under formula I and M^+ is an alkali metal ion (cf., for example, WO 96/26192).

Compounds of the formula I, in which R_1 is, in particular C_1-C_2alkyl, can, for example, also be prepared by heating an N-oxide of the formula IX under known reaction conditions in the presence of an acid anhydride (see, for example, Konno, K.; Hashimoto, K.; Shirahama, H.; Matsumoto, T.; *Heterocycles* **1986**, 24, 2169, or WO 00/15615) and hydrolyzing the resulting products (Ig) in a protic solvent, for example water or a water/methanol mixture, if appropriate in the presence of a base (for example lithium hydroxide or sodium hydroxide), and then converting the resulting alcohol X in the presence of a base, for example sodium hydride or potassium hydroxide, if appropriate in the presence of a phase-transfer catalyst or a crown ether, and an alkylating agent R_2-Y_3, in which R_2 is as defined under formula I and Y_3 is a leaving group, for example halogen or methyl sulfonate, in an aprotic solvent, for example, tetrahydrofuran or dimethylformamide, into the corresponding derivatives of the formula Ih (in which X_1 is oxygen). Compounds of the formula I, in which R_2 is C_1-C_6alkoxymethyl or 2-tetrahydropyranyl or 2-tetrahydrofuryl, can be prepared, for example, by treating an alcohol of the formula X with a vinyl ether of the formula VE_1, in which R_{03}, R_{04}, and R_{05} are C_1-C_6alkyl or R_{03} together with R_{05} forms a C_2-C_3alkylene chain, in the presence of an acidic catalyst, for example para-toluenesulphonic acid, in an inert solvent, for example methylene chloride. Such reactions are generally known in the literature (see, for example, *Synthesis*, p. 169, **1973**). The two reaction sequences are demonstrated using the example below:

Reaction scheme 3



Compounds of the formula I, in which R_1 is, in particular, C_1-C_2alkyl or C_1-C_2haloalkyl, can, for example, also be prepared by oxidizing a compound of the formula XI, in which R_{13} is in particular chlorine, C_1-C_4alkoxycarbonyloxy or benzoylcarbonyloxy (prepared similarly to WO 00/15615 or WO/0039094), under known halogenation conditions using, for example, N-bromosuccinimide or N-chlorosuccinimide in the presence of light and a free-radical initiator such as benzoyl peroxide to give the 1-bromo or 1-chloro, 1,1-dibromo or 1,1-dichloro compound and then refunctionalizing these compounds into the corresponding derivatives of the formula I, for example by reaction with a nucleophile R_2-Z, in which Z is, for example, -SH, -OH, -C(O)OH, -O-N(R_{61})H, -N(R_6)-OH, -SO_2N(R_{52})H or -N(R_8)H and R_2, R_{52},

R_6, R_8 and R_{51} are as defined under formula I, in the presence of a base, for example sodium hydride, potassium hydroxide or potassium carbonate, followed by aqueous work-up. These reaction sequences, too, are demonstrated by the example below.

Reaction scheme 4



Compounds of the formula I, in which Q denotes Q_1 or Q_2 and in which R_{13} or R_{36} are different from hydroxyl or halogen, can be prepared by conversion processes generally known from the literature, for example acylations or carbamoylations with appropriate acid chlorides from compounds of the formula I, in which R_{13} or R_{36} is hydroxyl, in the presence of a suitable base, or they can be prepared by nucleophilic substitution reactions on chlorides of the formula I, in which R_{13} and R_{36} are chlorine, the chlorides likewise being obtainable according to known processes by reaction with a chlorinating agent, such as phosgene, thionyl chloride or oxalyl chloride. The starting materials used are, for example, appropriately substituted amines, or hydroxylamines directly, or alkylsulfonamides, mercaptans,

thiophenols, phenols, heterocyclic amines or heterocyclic thiols in the presence of a base, for example 5-ethyl-2-methylpyridine, diisopropylethylamine, triethylamine, sodium bicarbonate, sodium acetate or potassium carbonate.

Compounds of the formula I, in which R_{13} and R_{36} contain thio groups, can be oxidized similarly to known standard processes using, for example, peracids, for example meta-chloroperbenzoic acid (m-CPBA) or peracetic acid, to give the corresponding sulfones and sulfoxides of the formula I. The degree of oxidation at the sulfur atom (SO- or SO_2-) can be controlled by the amount of oxidizing agent.

The resulting derivatives of the formula I, in which R_{13} and R_{36} are different from hydroxyl, can likewise occur in different isomeric forms which, if appropriate, can be isolated in pure form. Accordingly, the invention also embraces all of these stereoisomeric forms. Examples of these isomeric forms are the formulae I*, I** and I*** below in which Q denotes the group Q_1.



I' I" I'"

The compounds of the formulae II and IIa are known and can be prepared similarly as described, for example, in WO 92/07837, JP 10265441, DE-A-3818958, EP-A-0 338 992, DE-A-3902818, EP-A-0 278 742, WO 98/29412, JP 02059566, US-A-5,089,046, GB-A-2205316, WO 00/27821 or EP-A-0 384 736.

The required intermediates of the formula Ib (or Ik, Il or Im) are synthesized similarly to known processes as described, for example, in WO 00/15615, WO/00/39094 or WO 97/46530, or they can be prepared for example, according to generally known conversion methods such as the Stille (see, for example *Angew. Chem.* **1986**, *98*(6), 504-19), Heck (see, for example, *Angew. Chem.* **1994**, *106* (23/24), 2473-506), Sonogashira (see, for example, *"Comprehensive Organometallic Synthesis"*, Pergamon Verlag, Oxford, Vol 3, **1991**, page 521 ff.) or Wittig (for example C. Ferri *"Reaktionen der organischen Synthese"*, Georg Thieme Verlag, Stuttgart, **1978**, p. 354 ff.) reactions, starting from halogen derivatives of the formula XIV (preparation as described in WO 00/15615 or WO/0039094) or XVII (preparation similar to EP 522392) (reaction scheme 5):

Reaction scheme 5



Intermediates of the formula Ib, in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I, can also be prepared by the method according to reaction scheme 6:

Reaction scheme 6



Using generally known oxidation methods such as dihydroxylation, Wacker oxidation, epoxidation, hydroboration with subsequent oxidation, starting with vinyl or allyl compounds of the formula XVIII (preparation as described in WO 00/15615 or WO/0039094), intermediates of the formulae Ih, In, Iq and Ir are obtained which can be converted by conversion processes known to the person skilled in the art (for example alcohol activation, for example as sulfonate, alkylation, for example using an alkylating agent R_2-Y_3 or R_5-Y_3, in which R_2 and R_5 are as defined under formula I and Y_3 is a leaving group, for example halogen), in the presence of a base, or using nucleophile reactions, for example with a nucleophile Z-R_2, in which Z and R_2 are as defined above, into compounds of the formula I.

Intermediates of the formula Ib, in which R_1 is C_1-C_2alkyl and R_2, R_3, R_4 and X_1 are as defined under formula I, can also be prepared by reacting a compound of the formula XIVa, in which R_3 and R_4 are as defined above under formula I and Y_4 is halogen, with a nucleophile R_2-Z, in which Z is -SH, -OH, -C(O)OH, -O-N(R_{51})H, -N(R_6)-OH -SO_2N(R_{52})H or -N(R_6)H and R_2, R_{52}, R_6, R_6, R_{51} are as defined above under formula I, in the presence of a base such as sodium hydride or an alkaline earth metal oxide or carbonate in an inert solvent such as dimethylformamide or THF at temperatures between –5 and 160°C, or, to prepare the corresponding sulfinyl or sulfonyl derivatives of the formula Iu, by reacting with an oxidizing agent such as m-chloroperbenzoic acid or sodium periodate, or sodium perborate, with, depending on the degree of oxidation, temperature control known to the person skilled in the art (for example –30°C-+50°C for n=1 and –20°C-+100°C for n=2 respectively) , in an inert solvent such as dichloromethane, to give compound of the formula Iv. In reaction scheme 7 below, this is illustrated in more detail for the case Z = OH, SH, SO_2N(R_{52})H and N(R_6)H:

Reaction scheme 7



Intermediates of the formula I, in which Q denotes a group OR_{02} (R_{02} = C_1-C_8alkyl), can be converted by hydrolysis using, for example, a base, for example LiOH, in a protic solvent, for example H_2O or H_2O/methanol mixtures, into products of the formula Ib.

For preparing all further compounds of the formula I functionalized according to the definitions of R_1, R_2, R_3, R_4 and X_1, there are a large number of suitable known standard methods, for example alkylation, halogenation, acylation, amidation, oximation, oxidation and reduction, the choice of the preparation methods which are suitable depending on the properties (reactivity) of the substituents in the intermediates.

The reactions to give compounds of the formula I are advantageously carried out in aprotic inert organic solvents. Such solvents are hydrocarbons such as benzene, toluene, xylene or cyclohexane, chlorinated hydrocarbons such as dichloromethane, trichloromethane, tetrachloromethane or chlorobenzene, ethers such as diethyl ether, ethylene glycol dimethyl

ether, diethylene glycol dimethyl ether, tetrahydrofuran or dioxane, nitriles such as acetonitrile or propionitrile, amides such as N,N-dimethylformamide, diethylformamide or N-methylpyrrolidinone. The reaction temperatures are advantageously between -20°C and +120°C. In general, the reactions are slightly exothermic and, as a rule, they can be carried out at room temperature. To shorten the reaction time, or else to start the reaction, the mixture may be heated briefly to the boiling point of the reaction mixture. The reaction times can also be shortened by adding a few drops of base as reaction catalyst. Suitable bases are, in particular, tertiary amines such as trimethylamine, triethylamine, quinuclidine, 1,4-diazabicyclo[2.2.2]octane, 1,5-diazabicyclo[4.3.0]non-5-ene or 1,5-diazabicyclo-[5.4.0]undec-7-ene. However, inorganic bases such as hydrides, e.g. sodium hydride or calcium hydride, hydroxides, e.g. sodium hydroxide or potassium hydroxide, carbonates such as sodium carbonate and potassium carbonate, or hydrogen carbonates such as potassium hydrogen carbonate and sodium hydrogen carbonate may also be used as bases. The bases can be used as such or else with catalytic amounts of a phase-transfer catalyst, for example a crown ether, in particular 18-crown-6, or a tetraalkylammonium salt.

The compounds of the formula I can be isolated in the customary manner by concentrating and/or by evaporating the solvent and purified by recrystallization or trituration of the solid residue in solvents in which they are not readily soluble, such as ethers, aromatic hydrocarbons or chlorinated hydrocarbons.

All application methods which are conventionally used in agriculture, for example pre-emergence application, post-emergence application and seed treatment, as well as various methods and techniques, for example the controlled release of active ingredients, are suitable for the use according to the invention of the compounds of the formula I or of compositions comprising them. To this end, the active ingredient in solution is applied to mineral carriers for granules or to polymerized granules (urea/formaldehyde) and dried. If appropriate, an additional coating can be applied (coated granules), which allows the active ingredient to be released in a controlled manner over a specific period of time.

The compounds of the formula I can be employed as herbicides as such, i.e. as obtained from synthesis. However, they are preferably processed in the customary manner together with the auxiliaries conventionally used in the art of formulation, for example to give emulsifiable concentrates, directly sprayable or dilutable solutions, dilute emulsions, wettable powders, soluble powders, dusts, granules or microcapsules. Such formulations are described, for example, in WO 97/34485 on pages 9 to 13. The application methods such as

spraying, atomizing, dusting, wetting, scattering or pouring, as well as the type of composition, are chosen to suit the intended aims and the prevailing circumstances.

The formulations, i.e. the compositions, preparations or products which comprise the active ingredient of the formula I or at least one active ingredient of the formula I and, as a rule, one or more solid or liquid formulation auxiliaries, are prepared in the known manner, for example by intimately mixing and/or grinding the active ingredients together with the formulation auxiliaries, for example solvents or solid carriers. Furthermore, surface-active compounds (surfactants) may additionally be used when preparing the formulations. Examples of solvents and solid carriers are indicated for example in WO 97/34485 on page 6.

Suitable surface-active compounds are, depending on the nature of the active ingredient of the formula I to be formulated, nonionic, cationic and/or anionic surfactants and surfactant mixtures which have good emulsifying, dispersing and wetting properties. Examples of suitable anionic, nonionic and cationic surfactants are enumerated, for example, in WO 97/34485 on pages 7 and 8. The surfactants conventionally used in the art of formulation which are described, inter alia, in "McCutcheon's Detergents and Emulsifiers Annual" MC Publishing Corp., Ridgewood New Jersey, 1981, Stache, H., "Tensid-Taschenbuch" ["Surfactants Guide"], Carl Hanser Verlag, Munich/Vienna, 1981 and M. and J. Ash, "Encyclopedia of Surfactants", Vol I-III, Chemical Publishing Co., New York, 1980-81 are furthermore also suitable for preparing the herbicidal compositions according to the invention.

As a rule, the herbicidal formulations comprise 0.1 to 99% by weight, in particular 0.1 to 95% by weight, of herbicide, 1 to 99.9% by weight, in particular 5 to 99.8% by weight, of a solid or liquid formulation auxiliary and 0 to 25% by weight, in particular 0.1 to 25% by weight, of a surfactant. While concentrated compositions are more preferred as commercially available goods, the end consumer uses, as a rule, dilute compositions. The compositions can also comprise further additives such as stabilizers, for example epoxidized or non-epoxidized vegetable oils (epoxidized coconut oil, rapeseed oil or soya oil), antifoams, e.g. silicone oil, preservatives, viscosity regulators, binders, tackifiers and fertilizers or other active ingredients.

As a rule, the active ingredients of the formula I are applied to the plant or its environment at rates of 0.001 to 4 kg/ha, in particular 0.005 to 2 kg/ha. The dosage required for the desired

action can be determined by experiments. It depends on the type of the action, the developmental stage of the crop plant and of the weed, and on the application (location, timing, method) and can, owing to these parameters, vary within wide limits.

The compounds of the formula I are distinguished by herbicidal and growth-inhibitory properties which allow them to be employed in crops of useful plants, in particular in cereals, cotton, soya, sugar beet, sugar cane, plantation crops, rapeseed, maize and rice and for the non-selective control of weeds. Crops are also to be understood as including those which have been rendered tolerant to herbicides or classes of herbicides by means of conventional plant-breeding or genetic-engineering methods. The weeds to be controlled may be both mono- and dicotyledonous weeds such as Stellaria, Nasturtium, Agrostis, Digitaria, Avena, Setaria, Sinapis, Lolium, Solanum, Echinochloa, Scirpus, Monochoria, Sagittaria, Bromus, Alopecurus, Sorghum halepense, Rottboellia, Cyperus, Abutilon, Sida, Xanthium, Amaranthus, Chenopodium, Ipomoea, Chrysanthemum, Galium, Viola and Veronica.

The examples which follow illustrate the invention in greater detail without limiting it.

Preparation examples:

Example H1: Preparation of ethyl 2-bromomethyl-6-trifluoromethylnicotinate:

434.4 g (1.886 mol) of ethyl 2-methyl-6-trifluoromethylnicotinate (preparation similar to *Heterocycles* 129, *46*, **1997**) and 398.5 g (2.239 mol) of N-bromosuccinimide in 3 500 ml of carbon tetrachloride in the presence of 30.6 g (0.1866 mol) of α,α-azaisobutyronitrile are heated at 75°C, with irradiation from a 150 Watt lamp. After 3 hours, the reaction is terminated, the mixture is cooled to 15°C and precipitated succinimide is removed by filtration. After evaporation of the solvent, the residue is distilled under reduced pressure. This gives ethyl 2-bromomethyl-6-trifluoromethylnicotinate as an oily product (260.2 g, 44.7% of theory, b.p. 74°C/0.04 mmHg).

Example H2: 2-(2-Methoxyethoxymethyl)-6-trifluoromethylnicotinic acid:

At room temperature, 177.2 g of ethyl 2-bromomethyl-6-trifluoromethylnicotinate are dissolved in 3 000 ml of toluene and reacted with 398 ml (1.704 mol) of a 21% ethanolic solution of sodium ethoxide. After 8 hours at room temperature, 1500 ml of ethanol and 100 ml of 30% aqueous sodium hydroxide solution are added with vigorous stirring, and the

reaction mixture is stirred at this temperature for another 4 hours. The reaction mixture is poured into water and extracted with ethyl acetate, and the aqueous phase is acidified to pH 1. Following extraction with ethyl acetate, drying over sodium sulfate, evaporation under reduced pressure and trituration with hexane, pure 2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotinic acid is obtained in the form of white crystals of melting point 62-63°C.

Example H3: 4-Hydroxy-3-[2-(2-methoxyethoxymethyl)-6-trifluoromethylpyridine-3-carbonyl]-bicyclo[3.2.1]oct-3-en-2-one:

24.9 g (0.1 mol) of 2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotinic acid are dissolved in 200 ml of methylene chloride and 20 ml of oxalyl chloride, and 0.1 ml of dimethylformamide is then added dropwise. After the strong evolution of gas has ceased, triethylamine (27.9 ml, 0.2 mol), dimethylaminopyridine (1.22 g, 0.01 mol) and 15.2 g (0.11 mol) of bicyclo[3.2.1]octane-2,4-dione are added at a temperature of from 0 to 5°C. After 3 hours at 22°C, the reaction mixture is extracted with 2 N hydrochloric acid. The methylenechloride phase is separated off, washed with water and then extracted with 10% aqueous sodium bicarbonate solution, dried over sodium sulfate and concentrated. This gives 36.9 g (100% of theory) of 4-oxobicyclo[3.2.1]oct-2-en-2-yl 2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotininate as an oil, which can be used further without purification.

36.9 g (0.1 mol) of 4-oxobicyclo[3.2.1]oct-2-en-2-yl 2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotinate and 27.9 ml (0.2 mol) of triethylamine are dissolved in 400 ml of acetonitrile. At a temperature of 22°C, 0.92 ml (0.01 mol) of acetone cyanohydrin is added. After 18 hours at 22°C, the reaction mixture is poured into a water/2 N hydrochloric acid mixture and extracted with ethyl acetate. The ethyl acetate phase is washed with water and then with concentrated sodium chloride solution, dried over sodium sulfate and concentrated, and the residue is triturated with hexane. Filtration gives 27.9 g (75.6% of theory) of 4-hydroxyl-3-[2-(2-methoxyethoxymethyl)-6-trifluoromethylpyridine-3-carbonyl]bicyclo[3.2.1]oct-3-en-2-one in the form of white crystals (m.p. 55-56°C).

Example H4: 3-(2-Hydroxy-4-oxobicyclo[3.2.1]oct-2-en-3-carbonyl)-6-trifluoromethylpyridin-2-yl methyl acetate:

5.0 g (1 mmol) of 4-hydroxy-3-(2-methyl-1-oxy-6-trifluoromethylpyridin-3-carbonyl)-bicyclo[3.2.1]oct-3-en-2-one (preparation as described in WO 00/15615) are dissolved in 100 ml of toluene and, in the presence of 6.9 ml (0.073 mol) of acetic anhydride, heated at reflux temperature for 10 hours. The mixture is then partitioned between water and ethyl acetate and the organic phase is dried over sodium sulfate and concentrated under reduced pressure. The residue that remains is chromatographed on silica gel. The viscous oil obtained by eluting with a mixture of toluene, ethyl alcohol, dioxane, triethylamine and water (100:40:20:20:5 parts by volume) is dissolved in ethyl acetate and washed successively with 10% hydrochloric acid and water. The organic solution is dried over Na_2SO_4 and concentrated, giving 2.14 g (38%) of pure 3-(2-hydroxy-4-oxobicyclo[3.2.1]oct-2-ene-3-carbonyl)-6-trifluoromethylpyridin-2-ylmethyl acetate in the form of an oil. ^{1}H-NMR (250 MHz, $CDCl_3$): 17.06 (s), 1H; 7.67 (s), 2H; 5.27 (d, J = 12.5 Hz), 1H; 5.20 (d, J = 12.5 Hz), 1H; 3.18, (t, J = 5.0 Hz), 1H; 2.92, (t, J = 5.0 Hz), 1H; 2.29-1.98 (m), 4H; 2.00, (s), 3H; 1.81-1.73 ppm (m), 2H.

Example H5: 4-Hydroxy-3-(2-oxiranylmethoxymethyl-6-trifluoromethylpyridine-3-carbonyl)-bicyclo[3.2.1]oct-3-en-2-one:

5 g (0.013 mol) of 3-(2-hydroxy-4-oxobicyclo[3.2.1]oct-2-ene-3-carbonyl)-6-trifluoromethyl-pyridin-2-ylmethyl acetate are dissolved in 60 ml of methanol/water (3:1 mixture), and 1.4 g (0.046 mol) of lithium hydroxide hydrate are added a little at a time at a temperature of 22°C. After 3 hours at 22°C, the reaction mixture is poured into ethyl acetate and 10% hydrochloric acid, and the organic phase is washed three times with water, dried with sodium sulfate and concentrated. This gives 4.1g of 4-hydroxy-3-(2-hydroxymethyl-6-trifluoromethylpyridine-3-carbonyl)bicyclo[3.2.1]oct-3-en-2-one as an oil which can be reacted further without purification.

1.5 g of 4-hydroxy-3-(2-hydroxymethyl-6-trifluoromethylpyridine-3-carbonyl)-bicyclo[3.2.1]oct-3-en-2-one are dissolved in 15 ml of dimethylformamide and, at room temperature, treated with 0.4 g of sodium hydride (80% suspension in oil, 0.013 mol), a little at a time. After 15 minutes at a temperature of 22°C, 3ml (0.036 mol) of epibromohydrin are added dropwise,

and the reaction mixture is stirred at this temperature for another 18 hours. Ethyl acetate is then added, and the mixture is acidified to pH 3 using 10% hydrochloric acid and extracted with ethyl acetate. The organic phase is dried over sodium sulfate and the crude product is purified chromatographically (mobile phase: toluene/ethyl alcohol/dioxane/triethylamine/water 100:40:20:20:5 parts by volume). This gives the title compound (triethylamine salt) in the form of a yellowish resin, which is released similarly to example H4. Trituration with hexane gives 600 mg of pure 4-hydroxy-3-(2-oxiranylmethoxymethyl-6-trifluoromethylpyridin-3-carbonyl)bicyclo[3.2.1]oct-3-en-2-one of melting point 54-56°C.

Example H6: (5-Hydroxy-1,3-dimethyl-1H-pyrazol-4-yl)-[2-(2-methoxyethoxymethyl)-6-trifluoromethylpyridin-3-yl]methanone:

1.0 g (0.004 mol) of 2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotinic acid is dissolved in 10 ml of oxalyl chloride. Three drops of dimethylformamide are added, and the mixture is stirred at room temperature for 1 hour. The mixture is then concentrated using a rotary evaporator, and the residue (2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotinoyl chloride) is taken up in 10 ml of methylene chloride. At a temperature of 0°C, 0.84 ml (0.006 mol) of triethylamine and 0.45 g (0.004 mol) of 2,5-dimethyl-2,4-dihydropyrazol-3-one are added. After 2 hours at a temperature of 22°C, the solvent is removed using a vacuum rotary evaporator, and the residue that remains is dissolved in 10 ml of acetonitrile and, to rearrange the intermediate (2,5-dimethyl-2H-pyrazol-3-yl 2-(2-methoxyethoxymethyl)-6-trifluoromethylnicotinate), admixed with 0.1 ml of acetone cyanohydrin and 1.13 ml (0.008 mol) of triethylamine. The reaction solution is stirred at room temperature for four hours and then concentrated. The syrup that remains is chromatographed on silica gel. The viscous oil obtained by eluting with a mixture of toluene, ethyl alcohol, dioxane, triethylamine and water (100:40:20:20:5 parts by volume) is dissolved in ethyl acetate and washed successively with 10% hydrochloric acid and water. The organic solution is dried over Na_2SO_4 and concentrated, giving 0.93 g of (5-hydroxy-1,3-dimethyl-1H-pyrazol-4-yl)-[2-(2-methoxyethoxymethyl)-6-trifluoromethylpyridin-3-yl]methanone in the form of a viscous oil. ^{1}**H NMR** (300 MHz, $CDCl_3$, δ in ppm): 7.81, (d, J = 6 Hz), 1H; 7.74, (d, J = 6 Hz), 1H; 4.84, (s), 2H; 2H: 3.71, (s), 3H; 3.59, (t, J = 6 Hz) 2H; 3.38, (dd, J 4.0, 3.0 Hz), 1H; 3.26, (s), 3H; 1.82 ppm, (s), 1H.

Preferred compounds of the formula I and their intermediates are listed in the tables below.

In the table below, the left-hand valency of the radical R_1 is attached to the pyridine ring. If no free valency is indicated in the substituent R_2, as, for example, in the case of , the point of attachment is at the "CH" carbon atom.

In the table below, the compounds of the formula I are represented as:

A-Q

where the formula A



(A)

denotes the following radicals:

Radical	R_1	R_2	R_4	R_3	X_1	p
A1	CH_2	CH_3	H	CF_3	O	0
A2	CH_2	CH_2CH_3	H	CF_3	O	0
A3	CH_2	$(CH_3)_2CH$	H	CF_3	O	0
A4	CH_2	$PhCH_2$	H	CF_3	O	0
A5	CH_2	CH_3	H	CF_3	S	0
A6	CH_2	CH_3	H	CF_3	SO	0
A7	CH_2	CH_3	H	CF_3	SO_2	0
A8	CH_2	CH_3OCH_2	H	CF_3	O	0
A9	CH_2	$CH_3CH_2OCH_2$	H	CF_3	O	0
A10	CH_2	$CH_3OCH_2CH_2$	H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A11	CH_2	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	0
A12	CH_2	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	0
A13	CH_2	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	0
A14	CH_2	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	0
A15	CH_2	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	0
A16	CH_2	$CH_3OCH(CH_3)$	H	CF_3	O	0
A17	CH_2	$CH_3OC(CH_3)_2$	H	CF_3	O	0
A18	CH_2	$HC{\equiv}CCH_2$	H	CF_3	O	0
A19	CH_2	$H_2C{=}CHCH_2$	H	CF_3	O	0
A20	CH_2	$CH_3C{\equiv}CCH_2$	H	CF_3	O	0
A21	CH_2		H	CF_3	O	0
A22	CH_2		H	CF_3	O	0
A23	CH_2		H	CF_3	O	0
A24	CH_2		H	CF_3	O	0
A25	CH_2		H	CF_3	O	0
A26	CH_2		H	CF_3	O	0
A27	CH_2		H	CF_3	O	0
A28	CH_2		H	CF_3	O	0
A29	CH_2		H	CF_3	O	0
A30	CH_2		H	CF_3	O	0
A31	CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A32	CH_2		H	CF_3	O	0
A33	CH_2		H	CF_3	O	0
A34	CH_2		H	CF_3	O	0
A35	CH_2		H	CF_3	O	0
A36	CH_2		H	CF_3	O	0
A37	CH_2		H	CF_3	O	0
A38	CH_2		H	CF_3	O	0
A39	CH_2		H	CF_3	O	0
A40	CH_2		H	CF_3	O	0
A41	CH_2		H	CF_3	O	0
A42	CH_2		H	CF_3	O	0
A43	CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A44	CH_2		H	CF_3	O	0
A45	CH_2		H	CF_3	O	0
A46	CH_2		H	CF_3	O	0
A47	CH_2		H	CF_3	O	0
A48	CH_2		H	CF_3	O	0
A49	CH_2		H	CF_3	O	0
A50	CH_2		H	CF_3	O	0
A51	CH_2		H	CF_3	O	0
A52	CH_2		H	CF_3	O	0
A53	CH_2		H	CF_3	O	0
A54	CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A55	CH_2		H	CF_3	O	0
A56	CH_2		H	CF_3	O	0
A57	CH_2		H	CF_3	O	0
A58	CH_2		H	CF_3	O	0
A59	CH_2		H	CF_3	O	0
A60	CH_2		H	CF_3	O	0
A61	CH_2		H	CF_3	O	0
A62	CH_2		H	CF_3	O	0
A63	CH_2		H	CF_3	O	0
A64	CH_2		H	CF_3	O	0
A65	CH_2		H	CF_3	O	0
A66	CH_2		H	CF_3	O	0
A67	CH_2		H	CF_3	O	0
A68	CH_2		H	CF_3	O	0
A69	CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A70	CH_2		H	CF_3	O	0
A71	CH_2		H	CF_3	O	0
A72	CH_2		H	CF_3	O	0
A73	CH_2		H	CF_3	O	0
A74	CH_2		H	CF_3	O	0
A75	CH_2		H	CF_3	O	0
A76	CH_2		H	CF_3	O	0
A77	CH_2		H	CF_3	O	0
A78	CH_2		H	CF_3	O	0
A79	CH_2		H	CF_3	O	0
A80	CH_2		H	CF_3	O	0
A81	CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A82	CH_2		H	CF_3	O	0
A83	CH_2		H	CF_3	O	0
A84	CH_2		H	CF_3	O	0
A85	CH_2		H	CF_3	O	0
A86	CH_2		H	CF_3	O	0
A87	CH_2		H	CF_3	O	0
A88	CH_2		H	CF_3	O	0
A89	CH_2		H	CF_3	O	0
A90	CH_2		H	CF_3	O	0
A91	CH_2CH_2	CH_3	H	CF_3	O	0
A92	CH_2CH_2	CH_3CH_2	H	CF_3	O	0
A93	CH_2CH_2	$(CH_3)_2CH$	H	CF_3	O	0
A94	CH_2CH_2	$PhCH_2$	H	CF_3	O	0
A95	CH_2CH_2	CH_3	H	CF_3	S	0
A96	CH_2CH_2	CH_3	H	CF_3	SO	0
A97	CH_2CH_2	CH_3	H	CF_3	SO_2	0
A98	CH_2CH_2	$(CH_3)_2CHCH_2$	H	CF_3	O	

Radical	R_1	R_2	R_4	R_3	X_1	p
A99	CH_2CH_2	CH_3OCH_2	H	CF_3	O	0
A100	CH_2CH_2	$CH_3CH_2OCH_2$	H	CF_3	O	0
A101	CH_2CH_2	$CH_3OCH_2CH_2$	H	CF_3	O	0
A102	CH_2CH_2	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	0
A103	CH_2CH_2	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	0
A104	CH_2CH_2	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	0
A105	CH_2CH_2	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	0
A106	CH_2CH_2	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	0
A107	CH_2CH_2	$CH_3OCH(CH_3)$	H	CF_3	O	0
A108	CH_2CH_2	$CH_3OC(CH_3)_2$	H	CF_3	O	0
A109	CH_2CH_2	$HC{\equiv}CCH_2$	H	CF_3	O	0
A110	CH_2CH_2	$H_2C{=}CHCH_2$	H	CF_3	O	0
A111	CH_2CH_2	$CH_3C{\equiv}CCH_2$	H	CF_3	O	0
A112	CH_2CH_2		H	CF_3	O	0
A113	CH_2CH_2		H	CF_3	O	0
A114	CH_2CH_2		H	CF_3	O	0
A115	CH_2CH_2		H	CF_3	O	0
A116	CH_2CH_2		H	CF_3	O	0
A117	CH_2CH_2		H	CF_3	O	0
A118	CH_2CH_2		H	CF_3	O	0
A119	CH_2CH_2		H	CF_3	O	0
A120	CH_2CH_2		H	CF_3	O	0
A121	CH_2CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A122	CH_2CH_2		H	CF_3	O	0
A123	CH_2CH_2		H	CF_3	O	0
A124	CH_2CH_2		H	CF_3	O	0
A125	CH_2CH_2		H	CF_3	O	0
A126	CH_2CH_2		H	CF_3	O	0
A127	CH_2CH_2		H	CF_3	O	0
A128	CH_2CH_2		H	CF_3	O	0
A129	CH_2CH_2		H	CF_3	O	0
A130	CH_2CH_2		H	CF_3	O	0
A131	CH_2CH_2		H	CF_3	O	0
A132	CH_2CH_2		H	CF_3	O	0
A133	CH_2CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A134	CH_2CH_2		H	CF_3	O	0
A135	CH_2CH_2		H	CF_3	O	0
A136	CH_2CH_2		H	CF_3	O	0
A137	CH_2CH_2		H	CF_3	O	0
A138	CH_2CH_2		H	CF_3	O	0
A139	CH_2CH_2		H	CF_3	O	0
A140	CH_2CH_2		H	CF_3	O	0
A141	CH_2CH_2		H	CF_3	O	0
A142	CH_2CH_2		H	CF_3	O	0
A143	CH_2CH_2		H	CF_3	O	0
A144	CH_2CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A145	CH_2CH_2		H	CF_3	O	0
A146	CH_2CH_2		H	CF_3	O	0
A147	CH_2CH_2		H	CF_3	O	0
A148	CH_2CH_2		H	CF_3	O	0
A149	CH_2CH_2		H	CF_3	O	0
A150	CH_2CH_2		H	CF_3	O	0
A151	CH_2CH_2		H	CF_3	O	0
A152	CH_2CH_2		H	CF_3	O	0
A153	CH_2CH_2		H	CF_3	O	0
A154	CH_2CH_2		H	CF_3	O	0
A155	CH_2CH_2		H	CF_3	O	0
A156	CH_2CH_2		H	CF_3	O	0
A157	CH_2CH_2		H	CF_3	O	0
A158	CH_2CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A159	CH_2CH_2		H	CF_3	O	0
A160	CH_2CH_2		H	CF_3	O	0
A161	CH_2CH_2		H	CF_3	O	0
A162	CH_2CH_2		H	CF_3	O	0
A163	CH_2CH_2		H	CF_3	O	0
A164	CH_2CH_2		H	CF_3	O	0
A165	CH_2CH_2		H	CF_3	O	0
A166	CH_2CH_2		H	CF_3	O	0
A167	CH_2CH_2		H	CF_3	O	0
A168	CH_2CH_2		H	CF_3	O	0
A169	CH_2CH_2		H	CF_3	O	0
A170	CH_2CH_2		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A171	CH_2CH_2		H	CF_3	O	0
A172	CH_2CH_2		H	CF_3	O	0
A173	CH_2CH_2		H	CF_3	O	0
A174	CH_2CH_2		H	CF_3	O	0
A175	CH_2CH_2		H	CF_3	O	0
A176	CH_2CH_2		H	CF_3	O	0
A177	CH_2CH_2		H	CF_3	O	0
A178	CH_2CH_2		H	CF_3	O	0
A179	CH_2CH_2		H	CF_3	O	0
A180	CH_2CH_2		H	CF_3	O	0
A181	CH_2CH_2		H	CF_3	O	0
A182	$CH(OCH_3)CH_2$	CH_3	H	CF_3	O	0
A183	$CH(OCH_3)CH_2$	CH_3CH_2	H	CF_3	O	0
A184	$CH(OCH_3)CH_2$	$(CH_3)_2CH$	H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A185	$CH(OCH_3)CH_2$	$PhCH_2$	H	CF_3	O	0
A186	$CH(OCH_3)CH_2$	CH_3	H	CF_3	S	0
A187	$CH(OCH_3)CH_2$	CH_3	H	CF_3	SO	0
A188	$CH(OCH_3)CH_2$	CH_3	H	CF_3	SO_2	0
A189	$CH(OCH_3)CH_2$	$CH_3CH_2CH_2$	H	CF_3	O	0
A190	$CH(OCH_3)CH_2$	CH_3OCH_2	H	CF_3	O	0
A191	$CH(OCH_3)CH_2$	$CH_3CH_2OCH_2$	H	CF_3	O	0
A192	$CH(OCH_3)CH_2$	$CH_3OCH_2CH_2$	H	CF_3	O	0
A193	$CH(OCH_3)CH_2$	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	0
A194	$CH(OCH_3)CH_2$	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	0
A195	$CH(OCH_3)CH_2$	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	0
A196	$CH(OCH_3)CH_2$	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	0
A197	$CH(OCH_3)CH_2$	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	0
A198	$CH(OCH_3)CH_2$	$CH_3OCH(CH_3)$	H	CF_3	O	0
A199	$CH(OCH_3)CH_2$	$CH_3OC(CH_3)_2$	H	CF_3	O	0
A200	$CH(OCH_3)CH_2$	$HC{\equiv}CCH_2$	H	CF_3	O	0
A201	$CH(OCH_3)CH_2$	$H_2C{=}CHCH_2$	H	CF_3	O	0
A202	$CH(OCH_3)CH_2$	$CH_3C{\equiv}CCH_2$	H	CF_3	O	0
A203	$CH(OCH_3)CH_2$		H	CF_3	O	0
A204	$CH(OCH_3)CH_2$		H	CF_3	O	0
A205	$CH(OCH_3)CH_2$		H	CF_3	O	0
A206	$CH(OCH_3)CH_2$		H	CF_3	O	0
A207	$CH(OCH_3)CH_2$		H	CF_3	O	0
A208	$CH(OCH_3)CH_2$		H	CF_3	O	0
A209	$CH(OCH_3)CH_2$		H	CF_3	O	0
A210	$CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A211	$CH(OCH_3)CH_2$		H	CF_3	O	0
A212	$CH(OCH_3)CH_2$		H	CF_3	O	0
A213	$CH(OCH_3)CH_2$		H	CF_3	O	0
A214	$CH(OCH_3)CH_2$		H	CF_3	O	0
A215	$CH(OCH_3)CH_2$		H	CF_3	O	0
A216	$CH(OCH_3)CH_2$		H	CF_3	O	0
A217	$CH(OCH_3)CH_2$		H	CF_3	O	0
A218	$CH(OCH_3)CH_2$		H	CF_3	O	0
A219	$CH(OCH_3)CH_2$		H	CF_3	O	0
A220	$CH(OCH_3)CH_2$		H	CF_3	O	0
A221	$CH(OCH_3)CH_2$		H	CF_3	O	0
A222	$CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A223	$CH(OCH_3)CH_2$		H	CF_3	O	0
A224	$CH(OCH_3)CH_2$		H	CF_3	O	0
A225	$CH(OCH_3)CH_2$		H	CF_3	O	0
A226	$CH(OCH_3)CH_2$		H	CF_3	O	0
A227	$CH(OCH_3)CH_2$		H	CF_3	O	0
A228	$CH(OCH_3)CH_2$		H	CF_3	O	0
A229	$CH(OCH_3)CH_2$		H	CF_3	O	0
A230	$CH(OCH_3)CH_2$		H	CF_3	O	0
A231	$CH(OCH_3)CH_2$		H	CF_3	O	0
A232	$CH(OCH_3)CH_2$		H	CF_3	O	0
A233	$CH(OCH_3)CH_2$		H	CF_3	O	0
A234	$CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A235	$CH(OCH_3)CH_2$		H	CF_3	O	0
A236	$CH(OCH_3)CH_2$		H	CF_3	O	0
A237	$CH(OCH_3)CH_2$		H	CF_3	O	0
A238	$CH(OCH_3)CH_2$		H	CF_3	O	0
A239	$CH(OCH_3)CH_2$		H	CF_3	O	0
A240	$CH(OCH_3)CH_2$		H	CF_3	O	0
A241	$CH(OCH_3)CH_2$		H	CF_3	O	0
A242	$CH(OCH_3)CH_2$		H	CF_3	O	0
A243	$CH(OCH_3)CH_2$		H	CF_3	O	0
A244	$CH(OCH_3)CH_2$		H	CF_3	O	0
A245	$CH(OCH_3)CH_2$		H	CF_3	O	0
A246	$CH(OCH_3)CH_2$		H	CF_3	O	0
A247	$CH(OCH_3)CH_2$		H	CF_3	O	0
A248	$CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A249	$CH(OCH_3)CH_2$		H	CF_3	O	0
A250	$CH(OCH_3)CH_2$		H	CF_3	O	0
A251	$CH(OCH_3)CH_2$		H	CF_3	O	0
A252	$CH(OCH_3)CH_2$		H	CF_3	O	0
A253	$CH(OCH_3)CH_2$		H	CF_3	O	0
A254	$CH(OCH_3)CH_2$		H	CF_3	O	0
A255	$CH(OCH_3)CH_2$		H	CF_3	O	0
A256	$CH(OCH_3)CH_2$		H	CF_3	O	0
A257	$CH(OCH_3)CH_2$		H	CF_3	O	0
A258	$CH(OCH_3)CH_2$		H	CF_3	O	0
A259	$CH(OCH_3)CH_2$		H	CF_3	O	0
A260	$CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A261	$CH(OCH_3)CH_2$		H	CF_3	O	0
A262	$CH(OCH_3)CH_2$		H	CF_3	O	0
A263	$CH(OCH_3)CH_2$		H	CF_3	O	0
A264	$CH(OCH_3)CH_2$		H	CF_3	O	0
A265	$CH(OCH_3)CH_2$		H	CF_3	O	0
A266	$CH(OCH_3)CH_2$		H	CF_3	O	0
A267	$CH(OCH_3)CH_2$		H	CF_3	O	0
A268	$CH(OCH_3)CH_2$		H	CF_3	O	0
A269	$CH(OCH_3)CH_2$		H	CF_3	O	0
A270	$CH(OCH_3)CH_2$		H	CF_3	O	0
A271	$CH(OCH_3)CH_2$		H	CF_3	O	0
A272	$CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A273	$CH_2CH(OCH_3)CH_2$	CH_3	H	CF_3	O	0
A274	$CH_2CH(OCH_3)CH_2$	CH_3CH_2	H	CF_3	O	0
A275	$CH_2CH(OCH_3)CH_2$	$(CH_3)_2CH$	H	CF_3	O	0
A276	$CH_2CH(OCH_3)CH_2$	$PhCH_2$	H	CF_3	O	0
A277	$CH_2CH(OCH_3)CH_2$	CH_3	H	CF_3	S	0
A278	$CH_2CH(OCH_3)CH_2$	CH_3	H	CF_3	SO	0
A279	$CH_2CH(OCH_3)CH_2$	CH_3	H	CF_3	SO_2	0
A280	$CH_2CH(OCH_3)CH_2$	$CH_3CH_2CH_2$	H	CF_3	O	0
A281	$CH_2CH(OCH_3)CH_2$	CH_3OCH_2	H	CF_3	O	0
A282	$CH_2CH(OCH_3)CH_2$	$CH_3CH_2OCH_2$	H	CF_3	O	0
A283	$CH_2CH(OCH_3)CH_2$	$CH_3OCH_2CH_2$	H	CF_3	O	0
A284	$CH_2CH(OCH_3)CH_2$	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	0
A285	$CH_2CH(OCH_3)CH_2$	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	0
A286	$CH_2CH(OCH_3)CH_2$	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	0
A287	$CH_2CH(OCH_3)CH_2$	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	0
A288	$CH_2CH(OCH_3)CH_2$	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	0
A289	$CH_2CH(OCH_3)CH_2$	$CH_3OCH(CH_3)$	H	CF_3	O	0
A290	$CH_2CH(OCH_3)CH_2$	$CH_3OC(CH_3)_2$	H	CF_3	O	0
A291	$CH_2CH(OCH_3)CH_2$	$HC{\equiv}CCH_2$	H	CF_3	O	0
A292	$CH_2CH(OCH_3)CH_2$	$H_2C{=}CHCH_2$	H	CF_3	O	0
A293	$CH_2CH(OCH_3)CH_2$	$CH_3C{\equiv}CCH_2$	H	CF_3	O	0
A294	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A295	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A296	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A297	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A298	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A299	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A300	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A301	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A302	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A303	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A304	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A305	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A306	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A307	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A308	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	p
A309	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	
A310	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A311	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A312	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A313	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A314	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A315	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A316	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A317	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A318	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A319	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A320	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A321	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A322	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A323	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A324	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A325	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A326	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A327	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A328	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A329	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A330	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A331	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A332	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A333	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A334	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A335	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A336	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A337	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A338	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A339	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A340	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A341	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A342	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A343	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A344	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A345	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A346	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A347	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A348	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A349	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A350	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A351	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A352	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A353	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A354	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A355	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A356	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A357	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A358	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A359	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A360	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A361	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A362	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A363	$CH_2CH(OCH_3)CH_2$		H	CF_3	O	0
A364	$CH=CHCH_2$	CH_3	H	CF_3	O	0
A365	$CH=CHCH_2$	CH_3CH_2	H	CF_3	O	0
A366	$CH=CHCH_2$	$(CH_3)_2CH$	H	CF_3	O	0
A367	$CH=CHCH_2$	$PhCH_2$	H	CF_3	O	0
A368	$CH=CHCH_2$	CH_3	H	CF_3	S	0
A369	$CH=CHCH_2$	CH_3	H	CF_3	SO	0
A370	$CH=CHCH_2$	CH_3	H	CF_3	SO_2	0
A371	$CH=CHCH_2$	$CH_3CH_2CH_2$	H	CF_3	O	0
A372	$CH=CHCH_2$	CH_3OCH_2	H	CF_3	O	0
A373	$CH=CHCH_2$	$CH_3CH_2OCH_2$	H	CF_3	O	0
A374	$CH=CHCH_2$	$CH_3OCH_2CH_2$	H	CF_3	O	0
A375	$CH=CHCH_2$	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	0
A376	$CH=CHCH_2$	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	0
A377	$CH=CHCH_2$	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	0
A378	$CH=CHCH_2$	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	0
A379	$CH=CHCH_2$	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	0
A380	$CH=CHCH_2$	$CH_3OCH(CH_3)$	H	CF_3	O	0
A381	$CH=CHCH_2$	$CH_3OC(CH_3)_2$	H	CF_3	O	0
A382	$CH=CHCH_2$	$HC\equiv CCH_2$	H	CF_3	O	0
A383	$CH=CHCH_2$	$H_2C=CHCH_2$	H	CF_3	O	0
A384	$CH=CHCH_2$	$CH_3C\equiv CCH_2$	H	CF_3	O	0
A385	$CH=CHCH_2$		H	CF_3	O	0
A386	$CH=CHCH_2$		H	CF_3	O	0
A387	$CH=CHCH_2$		H	CF_3	O	0
A388	$CH=CHCH_2$		H	CF_3	O	0
A389	$CH=CHCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A390	CH=CHCH$_2$		H	CF_3	O	0
A391	CH=CHCH$_2$		H	CF_3	O	0
A392	CH=CHCH$_2$		H	CF_3	O	0
A393	CH=CHCH$_2$		H	CF_3	O	0
A394	CH=CHCH$_2$		H	CF_3	O	0
A395	CH=CHCH$_2$		H	CF_3	O	0
A396	CH=CHCH$_2$		H	CF_3	O	0
A397	CH=CHCH$_2$		H	CF_3	O	0
A398	CH=CHCH$_2$		H	CF_3	O	0
A399	CH=CHCH$_2$		H	CF_3	O	0
A400	CH=CHCH$_2$		H	CF_3	O	0
A401	CH=CHCH$_2$		H	CF_3	O	0
A402	CH=CHCH$_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A403	$CH=CHCH_2$		H	CF_3	O	0
A404	$CH=CHCH_2$		H	CF_3	O	0
A405	$CH=CHCH_2$		H	CF_3	O	0
A406	$CH=CHCH_2$		H	CF_3	O	0
A407	$CH=CHCH_2$		H	CF_3	O	0
A408	$CH=CHCH_2$		H	CF_3	O	0
A409	$CH=CHCH_2$		H	CF_3	O	0
A410	$CH=CHCH_2$		H	CF_3	O	0
A411	$CH=CHCH_2$		H	CF_3	O	0
A412	$CH=CHCH_2$		H	CF_3	O	0
A413	$CH=CHCH_2$		H	CF_3	O	0
A414	$CH=CHCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A415	$CH=CHCH_2$		H	CF_3	O	0
A416	$CH=CHCH_2$		H	CF_3	O	0
A417	$CH=CHCH_2$		H	CF_3	O	0
A418	$CH=CHCH_2$		H	CF_3	O	0
A419	$CH=CHCH_2$		H	CF_3	O	0
A420	$CH=CHCH_2$		H	CF_3	O	0
A421	$CH=CHCH_2$		H	CF_3	O	0
A422	$CH=CHCH_2$		H	CF_3	O	0
A423	$CH=CHCH_2$		H	CF_3	O	0
A424	$CH=CHCH_2$		H	CF_3	O	0
A425	$CH=CHCH_2$		H	CF_3	O	0
A426	$CH=CHCH_2$		H	CF_3	O	0
A427	$CH=CHCH_2$		H	CF_3	O	0
A428	$CH=CHCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A429	CH=CHCH$_2$		H	CF_3	O	0
A430	CH=CHCH$_2$		H	CF_3	O	0
A431	CH=CHCH$_2$		H	CF_3	O	0
A432	CH=CHCH$_2$		H	CF_3	O	0
A433	CH=CHCH$_2$		H	CF_3	O	0
A434	CH=CHCH$_2$		H	CF_3	O	0
A435	CH=CHCH$_2$		H	CF_3	O	0
A436	CH=CHCH$_2$		H	CF_3	O	0
A437	CH=CHCH$_2$		H	CF_3	O	0
A438	CH=CHCH$_2$		H	CF_3	O	0
A439	CH=CHCH$_2$		H	CF_3	O	0
A440	CH=CHCH$_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A441	CH=CHCH$_2$		H	CF_3	O	0
A442	CH=CHCH$_2$		H	CF_3	O	0
A443	CH=CHCH$_2$		H	CF_3	O	0
A444	CH=CHCH$_2$		H	CF_3	O	0
A445	CH=CHCH$_2$		H	CF_3	O	0
A446	CH=CHCH$_2$		H	CF_3	O	0
A447	CH=CHCH$_2$		H	CF_3	O	0
A448	CH=CHCH$_2$		H	CF_3	O	0
A449	CH=CHCH$_2$		H	CF_3	O	0
A450	CH=CHCH$_2$		H	CF_3	O	0
A451	CH=CHCH$_2$		H	CF_3	O	0
A452	CH=CHCH$_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_5	X_1	p
A453	$CH=CHCH_2$		H	CF_3	O	0
A454	$CH=CHCH_2$		H	CF_3	O	0
A455	$C\equiv CCH_2$	CH_3	H	CF_3	O	0
A456	$C\equiv CCH_2$	CH_3CH_2	H	CF_3	O	0
A457	$C\equiv CCH_2$	$(CH_3)_2CH$	H	CF_3	O	0
A458	$C\equiv CCH_2$	$PhCH_2$	H	CF_3	O	0
A459	$C\equiv CCH_2$	CH_3	H	CF_3	S	0
A460	$C\equiv CCH_2$	CH_3	H	CF_3	SO	0
A461	$C\equiv CCH_2$	CH_3	H	CF_3	SO_2	0
A462	$C\equiv CCH_2$	$CH_3CH_2CH_2$	H	CF_3	O	0
A463	$C\equiv CCH_2$	CH_3OCH_2	H	CF_3	O	0
A464	$C\equiv CCH_2$	$CH_3CH_2OCH_2$	H	CF_3	O	0
A465	$C\equiv CCH_2$	$CH_3OCH_2CH_2$	H	CF_3	O	0
A466	$C\equiv CCH_2$	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	0
A467	$C\equiv CCH_2$	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	0
A468	$C\equiv CCH_2$	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	0
A469	$C\equiv CCH_2$	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	0
A470	$C\equiv CCH_2$	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	0
A471	$C\equiv CCH_2$	$CH_3OCH(CH_3)$	H	CF_3	O	0
A472	$C\equiv CCH_2$	$CH_3OC(CH_3)_2$	H	CF_3	O	0
A473	$C\equiv CCH_2$	$HC\equiv CCH_2$	H	CF_3	O	0
A474	$C\equiv CCH_2$	$H_2C=CHCH_2$	H	CF_3	O	0
A475	$C\equiv CCH_2$	$CH_3C\equiv CCH_2$	H	CF_3	O	0
A476	$C\equiv CCH_2$		H	CF_3	O	0
A477	$C\equiv CCH_2$		H	CF_3	O	0
A478	$C\equiv CCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A479	$C{\equiv}CCH_2$		H	CF_3	O	0
A480	$C{\equiv}CCH_2$		H	CF_3	O	0
A481	$C{\equiv}CCH_2$		H	CF_3	O	0
A482	$C{\equiv}CCH_2$		H	CF_3	O	0
A483	$C{\equiv}CCH_2$		H	CF_3	O	0
A484	$C{\equiv}CCH_2$		H	CF_3	O	0
A485	$C{\equiv}CCH_2$		H	CF_3	O	0
A486	$C{\equiv}CCH_2$		H	CF_3	O	0
A487	$C{\equiv}CCH_2$		H	CF_3	O	0
A488	$C{\equiv}CCH_2$		H	CF_3	O	0
A489	$C{\equiv}CCH_2$		H	CF_3	O	0
A490	$C{\equiv}CCH_2$		H	CF_3	O	0
A491	$C{\equiv}CCH_2$		H	CF_3	O	0
A492	$C{\equiv}CCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A493	$C\equiv CCH_2$		H	CF_3	O	0
A494	$C\equiv CCH_2$		H	CF_3	O	0
A495	$C\equiv CCH_2$		H	CF_3	O	0
A496	$C\equiv CCH_2$		H	CF_3	O	0
A497	$C\equiv CCH_2$		H	CF_3	O	0
A498	$C\equiv CCH_2$		H	CF_3	O	0
A499	$C\equiv CCH_2$		H	CF_3	O	0
A500	$C\equiv CCH_2$		H	CF_3	O	0
A501	$C\equiv CCH_2$		H	CF_3	O	0
A502	$C\equiv CCH_2$		H	CF_3	O	0
A503	$C\equiv CCH_2$		H	CF_3	O	0
A504	$C\equiv CCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A505	$C{\equiv}CCH_2$		H	CF_3	O	0
A506	$C{\equiv}CCH_2$		H	CF_3	O	0
A507	$C{\equiv}CCH_2$		H	CF_3	O	0
A508	$C{\equiv}CCH_2$		H	CF_3	O	0
A509	$C{\equiv}CCH_2$		H	CF_3	O	0
A510	$C{\equiv}CCH_2$		H	CF_3	O	0
A511	$C{\equiv}CCH_2$		H	CF_3	O	0
A512	$C{\equiv}CCH_2$		H	CF_3	O	0
A513	$C{\equiv}CCH_2$		H	CF_3	O	0
A514	$C{\equiv}CCH_2$		H	CF_3	O	0
A515	$C{\equiv}CCH_2$		H	CF_3	O	0
A516	$C{\equiv}CCH_2$		H	CF_3	O	0
A517	$C{\equiv}CCH_2$		H	CF_3	O	0
A518	$C{\equiv}CCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A519	$C\equiv CCH_2$		H	CF_3	O	0
A520	$C\equiv CCH_2$		H	CF_3	O	0
A521	$C\equiv CCH_2$		H	CF_3	O	0
A522	$C\equiv CCH_2$		H	CF_3	O	0
A523	$C\equiv CCH_2$		H	CF_3	O	0
A524	$C\equiv CCH_2$		H	CF_3	O	0
A525	$C\equiv CCH_2$		H	CF_3	O	0
A526	$C\equiv CCH_2$		H	CF_3	O	0
A527	$C\equiv CCH_2$		H	CF_3	O	0
A528	$C\equiv CCH_2$		H	CF_3	O	0
A529	$C\equiv CCH_2$		H	CF_3	O	0
A530	$C\equiv CCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A531	$C\equiv CCH_2$		H	CF_3	O	0
A532	$C\equiv CCH_2$		H	CF_3	O	0
A533	$C\equiv CCH_2$		H	CF_3	O	0
A534	$C\equiv CCH_2$		H	CF_3	O	0
A535	$C\equiv CCH_2$		H	CF_3	O	0
A536	$C\equiv CCH_2$		H	CF_3	O	0
A537	$C\equiv CCH_2$		H	CF_3	O	0
A538	$C\equiv CCH_2$		H	CF_3	O	0
A539	$C\equiv CCH_2$		H	CF_3	O	0
A540	$C\equiv CCH_2$		H	CF_3	O	0
A541	$C\equiv CCH_2$		H	CF_3	O	0
A542	$C\equiv CCH_2$		H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A543	$C{\equiv}CCH_2$		H	CF_3	O	0
A544	$C{\equiv}CCH_2$		H	CF_3	O	0
A545	$C{\equiv}CCH_2$		H	CF_3	O	0
A546	CH_2	CH_3	H	CF_2Cl	O	0
A547	CH_2	CH_3CH_2	H	CF_2Cl	O	0
A548	CH_2	$(CH_3)_2CH$	H	CF_2Cl	O	0
A549	CH_2	$PhCH_2$	H	CF_2Cl	O	0
A550	CH_2	CH_3	H	CF_2Cl	S	0
A551	CH_2	CH_3	H	CF_2Cl	SO	0
A552	CH_2	CH_3	H	CF_2Cl	SO_2	0
A553	CH_2	$CH_3CH_2CH_2$	H	CF_2Cl	O	0
A554	CH_2	CH_3OCH_2	H	CF_2Cl	O	0
A555	CH_2	$CH_3CH_2OCH_2$	H	CF_2Cl	O	0
A556	CH_2	$CH_3OCH_2CH_2$	H	CF_2Cl	O	0
A557	CH_2	$CH_3CH_2OCH_2CH_2$	H	CF_2Cl	O	0
A558	CH_2	$CH_3OC(CH_3)_2CH_2$	H	CF_2Cl	O	0
A559	CH_2	$CH_3OCH(CH_3)CH_2$	H	CF_2Cl	O	0
A560	CH_2	$CH_3OCH_2CH(CH_3)$	H	CF_2Cl	O	0
A561	CH_2	$CH_3OCH_2C(CH_3)_2$	H	CF_2Cl	O	0
A562	CH_2	$CH_3OCH(CH_3)$	H	CF_2Cl	O	0
A563	CH_2	$CH_3OC(CH_3)_2$	H	CF_2Cl	O	0
A564	CH_2	$HC{\equiv}CCH_2$	H	CF_2Cl	O	0
A565	CH_2	$H_2C{=}CHCH_2$	H	CF_2Cl	O	0
A566	CH_2	$CH_3C{\equiv}CCH_2$	H	CF_2Cl	O	0
A567	CH_2		H	CF_2Cl	O	0
A568	CH_2		H	CF_2Cl	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A569	CH_2		H	CF_2Cl	O	0
A570	CH_2		H	CF_2Cl	O	0
A571	CH_2		H	CF_2Cl	O	0
A572	CH_2		H	CF_2Cl	O	0
A573	CH_2		H	CF_2Cl	O	0
A574	CH_2		H	CF_2Cl	O	0
A575	CH_2		H	CF_2Cl	O	0
A576	CH_2		H	CF_2Cl	O	0
A577	CH_2		H	CF_2Cl	O	0
A578	CH_2		H	CF_2Cl	O	0
A579	CH_2		H	CF_2Cl	O	0
A580	CH_2		H	CF_2Cl	O	0
A581	CH_2		H	CF_2Cl	O	0
A582	CH_2		H	CF_2Cl	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A583	CH_2		H	CF_2Cl	O	0
A584	CH_2		H	CF_2Cl	O	0
A585	CH_2		H	CF_2Cl	O	0
A586	CH_2		H	CF_2Cl	O	0
A587	CH_2		H	CF_2Cl	O	0
A588	CH_2		H	CF_2Cl	O	0
A589	CH_2		H	CF_2Cl	O	0
A590	CH_2		H	CF_2Cl	O	0
A591	CH_2		H	CF_2Cl	O	0
A592	CH_2		H	CF_2Cl	O	0
A593	CH_2		H	CF_2Cl	O	0
A594	CH_2		H	CF_2Cl	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A595	CH_2		H	CF_2Cl	O	0
A596	CH_2		H	CF_2Cl	O	0
A597	CH_2		H	CF_2Cl	O	0
A598	CH_2		H	CF_2Cl	O	0
A599	CH_2		H	CF_2Cl	O	0
A600	CH_2		H	CF_2Cl	O	0
A601	CH_2		H	CF_2Cl	O	0
A602	CH_2		H	CF_2Cl	O	0
A603	CH_2		H	CF_2Cl	O	0
A604	CH_2		H	CF_2Cl	O	0
A605	CH_2		H	CF_2Cl	O	0
A606	CH_2		H	CF_2Cl	O	0
A607	CH_2		H	CF_2Cl	O	0
A608	CH_2		H	CF_2Cl	O	0

Radical	R_1	R_2	R_3	R_5	X_1	p
A609	CH_2		H	CF_2Cl	O	0
A610	CH_2		H	CF_2Cl	O	0
A611	CH_2		H	CF_2Cl	O	0
A612	CH_2		H	CF_2Cl	O	0
A613	CH_2		H	CF_2Cl	O	0
A614	CH_2		H	CF_2Cl	O	0
A615	CH_2		H	CF_2Cl	O	0
A616	CH_2		H	CF_2Cl	O	0
A617	CH_2		H	CF_2Cl	O	0
A618	CH_2		H	CF_2Cl	O	0
A619	CH_2		H	CF_2Cl	O	0
A620	CH_2		H	CF_2Cl	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A621	CH_2		H	CF_2Cl	O	0
A622	CH_2		H	CF_2Cl	O	0
A623	CH_2		H	CF_2Cl	O	0
A624	CH_2		H	CF_2Cl	O	0
A625	CH_2		H	CF_2Cl	O	0
A626	CH_2		H	CF_2Cl	O	0
A627	CH_2		H	CF_2Cl	O	0
A628	CH_2		H	CF_2Cl	O	0
A629	CH_2		H	CF_2Cl	O	0
A630	CH_2		H	CF_2Cl	O	0
A631	CH_2		H	CF_2Cl	O	0
A632	CH_2		H	CF_2Cl	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A633	CH_2		H	CF_2Cl	O	0
A634	CH_2		H	CF_2Cl	O	0
A635	CH_2		H	CF_2Cl	O	0
A636	CH_2		H	CF_2Cl	O	0
A637	CH_2	CH_3	H	CHF_2	O	0
A638	CH_2	CH_2CH_3	H	CHF_2	O	0
A639	CH_2	$(CH_3)_2CH$	H	CHF_2	O	0
A640	CH_2	$PhCH_2$	H	CHF_2	O	0
A641	CH_2	CH_3	H	CHF_2	S	0
A642	CH_2	CH_3	H	CHF_2	O	0
A643	CH_2	CH_3	H	CHF_2	O	0
A644	CH_2	CH_3OCH_2	H	CHF_2	O	0
A645	CH_2	$CH_3CH_2OCH_2$	H	CHF_2	O	0
A646	CH_2	$CH_3OCH_2CH_2$	H	CHF_2	O	0
A647	CH_2	$CH_3CH_2OCH_2CH_2$	H	CHF_2	O	0
A648	CH_2	$CH_3OC(CH_3)_2CH_2$	H	CHF_2	O	0
A649	CH_2	$CH_3OCH(CH_3)CH_2$	H	CHF_2	O	0
A650	CH_2	$CH_3OCH_2CH(CH_3)$	H	CHF_2	O	0
A651	CH_2	$CH_3OCH_2C(CH_3)_2$	H	CHF_2	O	0
A652	CH_2	$CH_3OCH(CH_3)$	H	CHF_2	O	0
A653	CH_2	$CH_3OC(CH_3)_2$	H	CHF_2	O	0
A654	CH_2	$HC{\equiv}CCH_2$	H	CHF_2	O	0
A655	CH_2	$H_2C{=}CHCH_2$	H	CHF_2	O	0
A656	CH_2	$CH_3C{\equiv}CCH_2$	H	CHF_2	O	0
A657	CH_2		H	CHF_2	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A658	CH_2		H	CHF_2	O	0
A659	CH_2		H	CHF_2	O	0
A660	CH_2		H	CHF_2	O	0
A661	CH_2		H	CHF_2	O	0
A662	CH_2		H	CHF_2	O	0
A663	CH_2		H	CHF_2	O	0
A664	CH_2		H	CHF_2	O	0
A665	CH_2		H	CHF_2	O	0
A666	CH_2		H	CHF_2	O	0
A667	CH_2		H	CHF_2	O	0
A668	CH_2		H	CHF_2	O	0
A669	CH_2		H	CHF_2	O	0
A670	CH_2		H	CHF_2	O	0
A671	CH_2		H	CHF_2	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A672	CH_2		H	CHF_2	O	0
A673	CH_2		H	CHF_2	O	0
A674	CH_2		H	CHF_2	O	0
A675	CH_2		H	CHF_2	O	0
A676	CH_2		H	CHF_2	O	0
A677	CH_2		H	CHF_2	O	0
A678	CH_2		H	CHF_2	O	0
A679	CH_2		H	CHF_2	O	0
A680	CH_2		H	CHF_2	O	0
A681	CH_2		H	CHF_2	O	0
A682	CH_2		H	CHF_2	S	0
A683	CH_2		H	CHF_2	SO	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A684	CH_2		H	CHF_2	SO_2	0
A685	CH_2		H	CHF_2	O	0
A686	CH_2		H	CHF_2	O	0
A687	CH_2		H	CHF_2	O	0
A688	CH_2		H	CHF_2	O	0
A689	CH_2		H	CHF_2	O	0
A690	CH_2		H	CHF_2	O	0
A691	CH_2		H	CHF_2	O	0
A692	CH_2		H	CHF_2	O	0
A693	CH_2		H	CHF_2	O	0
A694	CH_2		H	CHF_2	O	0
A695	CH_2		H	CHF_2	O	0
A696	CH_2		H	CHF_2	O	0
A697	CH_2		H	CHF_2	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A698	CH_2		H	CHF_2	O	0
A699	CH_2		H	CHF_2	O	0
A700	CH_2		H	CHF_2	O	0
A701	CH_2		H	CHF_2	O	0
A702	CH_2		H	CHF_2	O	0
A703	CH_2		H	CHF_2	O	0
A704	CH_2		H	CHF_2	O	0
A705	CH_2		H	CHF_2	O	0
A706	CH_2		H	CHF_2	O	0
A707	CH_2		H	CHF_2	O	0
A708	CH_2		H	CHF_2	O	0
A709	CH_2		H	CHF_2	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A710	CH_2		H	CHF_2	O	0
A711	CH_2		H	CHF_2	O	0
A712	CH_2		H	CHF_2	O	0
A713	CH_2		H	CHF_2	O	0
A714	CH_2		H	CHF_2	O	0
A715	CH_2		H	CHF_2	O	0
A716	CH_2		H	CHF_2	O	0
A717	CH_2		H	CHF_2	O	0
A718	CH_2		H	CHF_2	O	0
A719	CH_2		H	CHF_2	O	0
A720	CH_2		H	CHF_2	O	0
A721	CH_2		H	CHF_2	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A722	CH_2		H	CHF_2	O	0
A723	CH_2		H	CHF_2	O	0
A724	CH_2		H	CHF_2	O	0
A725	CH_2		H	CHF_2	O	0
A726	CH_2		H	CHF_2	O	0
A727	CH_2	CH_3	H	CF_3	O	1
A728	CH_2	CH_2CH_3	H	CF_3	O	1
A729	CH_2	$(CH_3)_2CH$	H	CF_3	O	1
A730	CH_2	$PhCH_2$	H	CF_3	O	1
A731	CH_2	CH_3	H	CF_3	S	1
A732	CH_2	CH_3	H	CF_3	SO	1
A733	CH_2	CH_3	H	CF_3	SO_2	1
A734	CH_2	CH_3OCH_2	H	CF_3	O	1
A735	CH_2	$CH_3CH_2OCH_2$	H	CF_3	O	1
A736	CH_2	$CH_3OCH_2CH_2$	H	CF_3	O	1
A737	CH_2	$CH_3CH_2OCH_2CH_2$	H	CF_3	O	1
A738	CH_2	$CH_3OC(CH_3)_2CH_2$	H	CF_3	O	1
A739	CH_2	$CH_3OCH(CH_3)CH_2$	H	CF_3	O	1
A740	CH_2	$CH_3OCH_2CH(CH_3)$	H	CF_3	O	1
A741	CH_2	$CH_3OCH_2C(CH_3)_2$	H	CF_3	O	1
A742	CH_2	$CH_3OCH(CH_3)$	H	CF_3	O	1
A743	CH_2	$CH_3OC(CH_3)_2$	H	CF_3	O	1
A744	CH_2	$HC{\equiv}CCH_2$	H	CF_3	O	1
A745	CH_2	$H_2C{=}CHCH_2$	H	CF_3	O	1
A746	CH_2	$CH_3C{\equiv}CCH_2$	H	CF_3	O	1

Radical	R_1	R_2	R_4	R_3	X_1	p
A747	CH_2		H	CF_3	O	1
A748	CH_2		H	CF_3	O	1
A749	CH_2		H	CF_3	O	1
A750	CH_2		H	CF_3	O	1
A751	CH_2		H	CF_3	O	1
A752	CH_2		H	CF_3	O	1
A753	CH_2		H	CF_3	O	1
A754	CH_2		H	CF_3	O	1
A755	CH_2		H	CF_3	O	1
A756	CH_2		H	CF_3	O	1
A757	CH_2		H	CF_3	O	1
A758	CH_2		H	CF_3	O	1
A759	CH_2		H	CF_3	O	1
A760	CH_2		H	CF_3	O	1
A761	CH_2		H	CF_3	O	1

Radical	R_1	R_2	R_4	R_3	X_1	p
A762	CH_2		H	CF_3	O	1
A763	CH_2		H	CF_3	O	1
A764	CH_2		H	CF_3	O	1
A765	CH_2		H	CF_3	O	1
A766	CH_2		H	CF_3	O	1
A767	CH_2		H	CF_3	O	1
A768	CH_2		H	CF_3	O	1
A769	CH_2		H	CF_3	O	1
A770	CH_2		H	CF_3	O	1
A771	CH_2		H	CF_3	O	1
A772	CH_2		H	CF_3	O	1
A773	CH_2		H	CF_3	O	1

Radical	R_1	R_2	R_4	R_3	X_1	p
A774	CH_2		H	CF_3	O	1
A775	CH_2		H	CF_3	O	1
A776	CH_2		H	CF_3	O	1
A777	CH_2		H	CF_3	O	1
A778	CH_2		H	CF_3	O	1
A779	CH_2		H	CF_3	O	1
A780	CH_2		H	CF_3	O	1
A781	CH_2		H	CF_3	O	1
A782	CH_2		H	CF_3	O	1
A783	CH_2		H	CF_3	O	1
A784	CH_2		H	CF_3	O	1
A785	CH_2		H	CF_3	O	1
A786	CH_2		H	CF_3	O	1
A787	CH_2		H	CF_3	O	1

Radical	R_1	R_2	R_4	R_3	X_1	p
A788	CH_2		H	CF_3	O	1
A789	CH_2		H	CF_3	O	1
A790	CH_2		H	CF_3	O	1
A791	CH_2		H	CF_3	O	1
A792	CH_2		H	CF_3	O	1
A793	CH_2		H	CF_3	O	1
A794	CH_2		H	CF_3	O	1
A795	CH_2		H	CF_3	O	1
A796	CH_2		H	CF_3	O	1
A797	CH_2		H	CF_3	O	1
A798	CH_2		H	CF_3	O	1
A799	CH_2		H	CF_3	O	1

Radical	R_1	R_2	R_4	R_3	X_1	p
A800	CH_2		H	CF_3	O	1
A801	CH_2		H	CF_3	O	1
A802	CH_2		H	CF_3	O	1
A803	CH_2		H	CF_3	O	1
A804	CH_2		H	CF_3	O	1
A805	CH_2		H	CF_3	O	1
A806	CH_2		H	CF_3	O	1
A807	CH_2		H	CF_3	O	1
A808	CH_2		H	CF_3	O	1
A809	CH_2		H	CF_3	O	1
A810	CH_2		H	CF_3	O	1
A811	CH_2		H	CF_3	O	1

Radical	R_1	R_2	R_4	R_3	X_1	p
A812	CH_2		H	CF_3	O	1
A813	CH_2		H	CF_3	O	1
A814	CH_2		H	CF_3	O	1
A815	CH_2		H	CF_3	O	1
A816	CH_2		H	CF_3	O	1
A817	CH_2	$CH_3SCH_2CH_2$	H	CF_3	O	0
A818	CH_2	$CH_3SOCH_2CH_2$	H	CF_3	O	0
A819	CH_2	$CH_3SO_2CH_2CH_2$	H	CF_3	O	0
A820	CH_2	$CH_3OCH_2CH_2$	H	CF_2Cl	O	1
A821	CH_2	$CH_3OCH_2CH_2$	H	CF_2H	O	1
A822	CH_2	$CH_3OCH_2CH_2$	F	CF_3	O	0
A823	CH_2	$CH_3OCH_2CH_2$	CH_3	CF_3	O	0
A824	CH_2	$CH_3OCH_2CH_2$	CH_3	CF_3	O	1
A825	CH_2	$CH_3OCH_2CH_2$	H	CF_3	S	0
A826	CH_2	$CH_3OCH_2CH_2$	H	CF_3	SO	0
A827	CH_2	$CH_3OCH_2CH_2$	CH_3	CF_3	SO_2	0
A828	CH_2	$CH_3SO_2CH_2CH_2$	CH_3	CF_3	O	0
A829	CH_2		H	CF_3	S	0
A830	CH_2		H	CF_3	S	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A831	CH_2		CH_3	CF_3	S	0
A832	CH_2		CH_3	CF_3	S	0
A833	CH_2	$CH_3C(O)$	H	CF_3	O	0
A834	CH_2	CF_3CH_2	H	CF_3	O	0
A835	CH_2	$CH_3OCH_2CH_2OCH_2CH_2$	H	CF_3	O	0
A836	CH_2	$HC{\equiv}CCH_2CH_2$	H	CF_3	O	0
A837	CH_2		H	CF_3	O	0
A838	CH_2	$CH_3CH_2C(OCH_3)HOCH_2CH_2$	H	CF_3	O	0
A839	CH_2	$(CH_3)_3CC(O)$	H	CF_3	O	0
A840	CH_2	$CH_2{=}CHCH_2OCH_2CH_2$	H	CF_3	O	0
A841	CH_2	$CH_3CH_2CH_2OCH_2CH_2$	H	CF_3	O	0
A842	CH_2		H	CF_3	O	0
A843	CH_2	n-Heptyl-C(O)	H	CF_3	O	0
A844	CH_2	Phenyl-C(O)	H	CF_3	O	0
A845	CH_2	$CF_3CH_2OCH_2CH_2$	H	CF_3	O	0
A846	CH_2	$CH_3OCH_2CH_2CH_2$	H	CF_3	O	0
A847	CH_2	$HOCH_2CH_2CH_2$	H	CF_3	O	0
A848	CH_2		H	CF_3	O	0
A849	CH_2	$N{\equiv}CCH_2CH_2$	H	CF_3	O	0
A850	CH_2	$ClCH_2CH_2$	H	CF_3	O	0
A851	CH_2		H	CF_3	O	0
A852	CH_2		H	CF_3	O	0
A853	CH_2	$CH_3OCH_2C(Br)HCH_2$	H	CF_3	O	0

Radical	R_1	R_2	R_4	R_3	X_1	p
A854	CH_2		H	CF_3	O	0
A855	CH_2		H	CF_3	O	0
A856	CH_2	$HOCH_2CH_2$	H	CF_3	O	0
A857	CH_2		H	CF_3	O	0
A858	CH_2	$CH_3(OCH_2CH_2)_3$	H	CF_3	O	0
A859	CH_2	$CH_3CH_2OC(CH_3)HOCH_2CH_2$	H	CF_3	O	0
A860	CH_2	n-Heptyl-C(O)OCH_2CH_2	H	CF_3	O	0
A861	CH_2	$CH_3C(O)OCH_2CH_2$	H	CF_3	O	0
A862	CH_2	$CH_3SO_2OCH_2CH_2$	H	CF_3	O	0
A863	CH_2		H	CF_3	O	0
A864	CH_2	CH_3	H	CF_3	$-NCH_3SO_2-$	0
A865	CH_2	$HOCH_2C(OH)HCH_2$	H	CF_3	O	0
A866	CH_2	Phenyl-C(O)OCH_2CH_2	H	CF_3	O	0
A867	CH_2	t-Butyl-C(O)OCH_2CH_2	H	CF_3	O	0
A868	CH_2	$CH_3OC(O)CH_2$	H	CF_3	O	0

In the table below, in the case of rings, the ring attachment points for the substituents A_1 and A_2 are at the carbon atom which is marked "C", for example

, in the case of open-chain structures, "$(CH_3)_2C$" denotes, for example,  .

In the formula A-Q, Q denotes Q_1



(Q_1),

and Q_1 denotes the following radicals B:

Radical	A_1	A_2	n	R_{21}	R_{22}	R_{13}
B1	CH_2	CH_2	0	H	H	OH
B2	CH_2	CH_2	0	CH_3	H	OH
B3	CH_2	CH_2	0	CH_3	CH_3	OH
B4	$(CH_3)CH$	CH_2	0	CH_3	CH_3	OH
B5	$(CH_3)_2C$	CH_2	0	CH_3	CH_3	OH
B6	CH	CH	0	CH_3	-	OH
B7	CH_2	CH_2	0	CH_3	CH_2=$CHCH_2$	OH
B8	CH_2	CH_2	0	CH_3	HC≡CCH_2	OH
B9	CH_2	CH_2	0	CH_3	CH_3S	OH
B10	CH_2	CH_2	0	CH_3	CH_3SO	OH
B11	CH_2	CH_2	0	CH_3	CH_3SO_2	OH
B12	CH_2	CH_2	0	CH_3	CH_3O	OH
B13	CH_2	CH_2	0	CH_3	$CH_3OC(O)$	OH
B14	CH_2	CH_2	0	CH_3	$CH_3CH_2OC(O)$	OH
B15	CH_2	$(CH_3)_2C$	0	H	H	OH
B16		CH_2	0	H	H	OH
B17		CH_2	0	H	H	OH
B18		CH_2	0	CH_3	H	OH
B19		CH_2	0	CH_3	CH_3	OH
B20		CH_2	0	H	H	OH
B21		CH_2	0	CH_3	H	OH
B22		CH_2	0	CH_3	CH_3	OH
B23	$(CH_3)_2C$	O	0	CH_3	CH_3	OH
B24	CH_2	O	0	CH_3	CH_3	OH

Radical	A_1	A_2	n	R_{21}	R_{22}	R_{13}
B25	CH_3N	O	0	CH_3	CH_3	OH
B26		O	0	CH_3	CH_3	OH
B27	CH_3N	CH_2	0	CH_3	CH_3	OH
B28	CH_3N	$(CH_3)CH$	0	H	H	OH
B29	CH_3N	$(CH_3)CH$	0	CH_3	H	OH
B30	NH	$(CH_3)C$	0	H	-	OH
B31	NH	CH	0	CH_3	-	OH
B32	CH_3N	$(CH_3)C$	0	H	-	OH
B33	CH_3N	CH	0	CH_3	-	OH
B34	O	$(CH_3)_2C$	0	H	-	OH
B35	O	$(CH_3)_2C$	0	CH_3	CH_3	OH
B36	O	$(CH_3)_2C$	0	CH_3	H	OH
B37	O	$(CH_3)C$	0	H	-	OH
B38	O	CH	0	CH_3	-	OH
B39	$(CH_3)_2C$	C=O	0	CH_3	CH_3	OH
B40	$(CH_3)_2C$	(OH)CH	0	CH_3	CH_3	OH
B41		C=O	0	CH_3	CH_3	OH
B42		C=O	0	CH_2	CH_2	OH
B43	$(CH_3)_2C$		0	CH_3	CH_3	OH
B44	$(CH_3)_2C$		0	CH_3	CH_3	OH
B45	$(CH_3)_2C$		0	CH_3	CH_3	OH
B46	$(CH_3)_2C$		0	CH_3	CH_3	OH
B47	$(CH_3)_2C$	HON=C	0	CH_3	CH_3	OH
B48	$(CH_3)_2C$	CH_3ON=C	0	CH_3	CH_3	OH
B49	$(CH_3)_2C$	BnON=C	0	CH_3	CH_3	OH
B50	CH	O	1	H	CH_2	OH
B51	CH	C=O	1	H	CH_2	OH

Radical	A_1	A_2	n	R_{21}	R_{22}	R_{13}
B52	CH	CH_2	1	H	CH_2	OH
B53	CH	CH_3N	1	H	CH_2	OH
B54	CH	CH_2CH_2	1	H	CH_2	OH
B55	CH	C=O	2	H	CH_2	OH
B56	CH	CH_2	2	H	CH_2	OH
B57	CH	CH_2	1	H	CH_2	Cl
B58	CH	CH_2	1	H	CH_2	NH_2
B59	CH	CH_2	1	H	CH_2	CH_3SO_2NH
B60	CH	CH_2	1	H	CH_2	$CH_3OCH_2CH_2S$
B61	CH	CH_2	1	H	CH_2	$CH_3OCH_2CH_2SO$
B62	CH	CH_2	1	H	CH_2	$CH_3OCH_2CH_2SO_2$
B63	CH	CH_2	1	H	CH_2	$(CH_3)_2NC(O)NH$
B64	CH	CH_2	1	H	CH_2	PhC(O)O
B65	CH	CH_2	1	H	CH_2	$CH_3OC(O)O$
B66	CH	CH_2	1	H	CH_2	$CH_3(CH_2)_7S$
B67	CH	CH_2	1	H	CH_2	$CH_3(CH_2)_7SO$
B68	CH	CH_2	1	H	CH_2	$CH_3(CH_2)_7SO_2$
B69	CH	CH_2	1	H	CH_2	$(CH_3)_2NSO_2NH$
B70	CH	CH_2	1	H	CH_2	PhS
B71	CH	CH_2	1	H	CH_2	PhSO
B72	CH	CH_2	1	H	CH_2	$PhSO_2$
B73	CH	CH_2	1	H	CH_2	
B74	CH	CH_2	1	H	CH_2	
B75	$(CH_3)_2C$	C=O	0	CH_3	CH_3	Cl
B76	$(CH_3)_2C$	C=O	0	CH_3	CH_3	NH_2
B77	$(CH_3)_2C$	C=O	0	CH_3	CH_3	CH_3SO_2NH
B78	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3OCH_2CH_2S$
B79	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3OCH_2CH_2SO$
B80	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3OCH_2CH_2SO_2$
B81	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$(CH_3)_2NC(O)NH$

Radical	A_1	A_2	n	R_{21}	R_{22}	R_{13}
B82	$(CH_3)_2C$	C=O	0	CH_3	CH_3	PhC(O)O
B83	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3OC(O)O$
B84	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3(CH_2)_7S$
B85	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3(CH_2)_7SO$
B86	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$CH_3(CH_2)_7SO_2$
B87	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$(CH_3)_2NSO_2NH$
B88	$(CH_3)_2C$	C=O	0	CH_3	CH_3	PhS
B89	$(CH_3)_2C$	C=O	0	CH_3	CH_3	PhSO
B90	$(CH_3)_2C$	C=O	0	CH_3	CH_3	$PhSO_2$
B91	$(CH_3)_2C$	C=O	0	CH_3	CH_3	
B92	$(CH_3)_2C$	C=O	0	CH_3	CH_3	
B93	$(CH_3)_2C$	CH_2	0	H	H	Cl
B94	$(CH_3)_2C$	CH_2	0	H	H	NH_2
B96	$(CH_3)_2C$	CH_2	0	H	H	$CH_3OCH_2CH_2S$
B97	$(CH_3)_2C$	CH_2	0	H	H	$CH_3OCH_2CH_2SO$
B98	$(CH_3)_2C$	CH_2	0	H	H	$CH_3OCH_2CH_2SO_2$
B99	$(CH_3)_2C$	CH_2	0	H	H	$(CH_3)_2NC(O)NH$
B100	$(CH_3)_2C$	CH_2	0	H	H	PhC(O)O
B101	$(CH_3)_2C$	CH_2	0	H	H	$CH_3OC(O)O$
B102	$(CH_3)_2C$	CH_2	0	H	H	$CH_3(CH_2)_7S$
B103	$(CH_3)_2C$	CH_2	0	H	H	$CH_3(CH_2)_7SO$
B104	$(CH_3)_2C$	CH_2	0	H	H	$CH_3(CH_2)_7SO_2$
B105	$(CH_3)_2C$	CH_2	0	H	H	$(CH_3)_2NSO_2NH$
B106	$(CH_3)_2C$	CH_2	0	H	H	PhS
B107	$(CH_3)_2C$	CH_2	0	H	H	PhSO
B108	$(CH_3)_2C$	CH_2	0	H	H	$PhSO_2$
B109	$(CH_3)_2C$	CH_2	0	H	H	

Radical	A_1	A_2	n	R_{21}	R_{22}	R_{13}
B110	$(CH_3)_2C$	CH_2	0	H	H	
B111	CH_2	$(CH_3)CH$	0	H	H	OH
B112	CH_2	CH_2	1	H	CH_2	t-Butyl-C(O)O
B113	CH_2	CH_2	1	H	CH_2	t-Heptyl-C(O)O

or Q in the formula A-Q denotes Q_2



(Q_2)

and Q_2 denotes the following radicals C:

Radical	R_{34}	R_{35}	R_{36}
C1	CH_3	H	OH
C2	CH_3	CH_3	OH
C3	H	$HC{\equiv}CCH_2$	OH
C4	H	CH_3SO_2	OH
C5	H	CH_3	OH
C6	H	$PhCH_2$	OH
C7	CF_3	CH_3	OH
C8		CH_3	OH
C9	$CH_3OCH_2CH_2OCH_2$	CH_3	OH
C10	H	CH_3	Cl
C11	H	CH_3	NH_2
C12	H	CH_3	CH_3SO_2NH
C13	H	CH_3	$CH_3OCH_2CH_2S$
C14	H	CH_3	$CH_3OCH_2CH_2SO$
C15	H	CH_3	$CH_3OCH_2CH_2SO_2$

Radical	R_{34}	R_{35}	R_{36}
C16	H	CH_3	$(CH_3)_2NC(O)NH$
C17	H	CH_3	$PhC(O)O$
C18	H	CH_3	$CH_3OC(O)O$
C19	H	CH_3	$CH_3(CH_2)_7S$
C20	H	CH_3	$CH_3(CH_2)_7SO$
C21	H	CH_3	$CH_3(CH_2)_7SO_2$
C22	H	CH_3	$(CH_3)_2NSO_2NH$
C23	H	CH_3	PhS
C24	H	CH_3	PhSO
C25	H	CH_3	$PhSO_2$
C26	H	CH_3	
C27	H	CH_3	
C28	H	CH_3	CH_3SO_2O
C29	H	CH_3	p-TolylSO_2O

or Q in the formula A-Q denotes Q_3



(Q_3)

and Q_3 denotes the following radicals D (the point of attachment of R_{49} to the heterocycle is the "CH" group):

Radical	R_{49}	R_{50}	n
D1		CH_3	0

Radical	R_{49}	R_{60}	n
D2		CH_3	1
D3		CH_3	2
D4		CF_3	0
D5		CF_3	1
D6		CF_3	2
D7		Ph	0
D8		Ph	1
D9		Ph	2
D10		$PhCH_2$	0
D11		$PhCH_2$	1
D12		$PhCH_2$	2

Table 1: Intermediates for preparing the compounds of the formula I, represented as formula

A-Q

in which Q denotes hydroxyl:

OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
-	-	-	-	-	-	-	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84

OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
A85	A86	A87	A88	A89	A90	-	-	-	-	-	-
-	-	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480

OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH	OH
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	-	-	-	-	-	-	-
-	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
-	-	-	-	-	-	-	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	-	-	-	-	-	-
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 2: Compounds of the formula I, represented as compounds of the formula

A-Q

in which Q denotes Q_1 and Q_1 denotes the radical B52:

B52	B52	B52	B52	B52	B52	B52	B52	B52	B52	B52	B52
A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	A91	A92	A93	A94	A95	A96
A97	A98	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324

B52	B52	B52	B52	B52	B52	B52	B52	B52	B52	B52	B52
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	A546	A547	A548	A549	A550	A551	A552
A553	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
A637	A638	A639	A640	A641	A642	A643	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A673	A674	A675	A676	A677	A678	A679	A680	A681	A682	A683	A684
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720

B52	B52	B52	B52	B52	B52	B52	B52	B52	B52	B52	B52
A721	A722	A723	A724	A725	A726	A727	A728	A729	A730	A731	A732
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 3: Compounds of the formula I, represented as compounds of the formula

A-Q

in which Q denotes Q_1 and Q_1 denotes the radical B39:

B39	B39	B39	B39	B39	B39	B39	B39	B39	B39	B39	B39
A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	A91	A92	A93	A94	A95	A96
A97	A98	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156

B39	B39	B39	B39	B39	B39	B39	B39	B39	B39	B39	B39
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	A546	A547	A548	A549	A550	A551	A552

B39	B39	B39	B39	B39	B39	B39	B39	B39	B39	B39	B39
A553	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
A637	A638	A639	A640	A641	A642	A643	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A673	A674	A675	A676	A677	A678	A679	A680	A681	A682	A683	A684
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	A727	A728	A729	A730	A731	A732
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 4: Compounds of the formula I, represented as compounds of the formula

A-Q

in which Q denotes Q_1 and Q_1 denotes the radical B3:

B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3

B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3
-	-	-	-	-	-	-	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	-	-	-	-	-	-
-	-	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384

B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	-	-	-	-	-	-	-
-	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
-	-	-	-	-	-	-	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	-	-	-	-	-	-
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792

B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3	B3
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 5: Compounds of the formula I, represented as compounds of the formula

A-Q

in which Q denotes Q_2 and Q_2 denotes the radical C5:

C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5
A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	A91	A92	A93	A94	A95	A96
A97	A98	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228

C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	A546	A547	A548	A549	A550	A551	A552
A553	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624

C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5	C5
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
A637	A638	A639	A640	A641	A642	A643	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A673	A674	A675	A676	A677	A678	A679	A680	A681	A682	A683	A684
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	A727	A728	A729	A730	A731	A732
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 6: Compounds of the formula I, represented as compounds of the formula

A-Q

in which Q denotes Q_2 and Q_2 denotes the radical C2:

C2	C2	C2	C2	C2	C2	C2	C2	C2	C2	C2	C2
A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60

C2	C2	C2	C2	C2	C2	C2	C2	C2	C2	C2	C2
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	A91	A92	A93	A94	A95	A96
A97	A98	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456

C2	C2	C2	C2	C2	C2	C2	C2	C2	C2	C2	C2
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	A546	A547	A548	A549	A550	A551	A552
A553	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
A637	A638	A639	A640	A641	A642	A643	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A673	A674	A675	A676	A677	A678	A679	A680	A681	A682	A683	A684
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	A727	A728	A729	A730	A731	A732
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 7: Compounds of the formula I, represented as compounds of the formula

A-Q

in which Q denotes Q_2 and Q_2 denotes the radicals D1, D2 or D3:

D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3
-	-	-	-	-	-	-	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	-	-	-	-	-	-
-	-	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288

D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	-	-	-	-	-	-	-
-	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
-	-	-	-	-	-	-	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660

D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3	D1/D2/ D3
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	-	-	-	-	-	-
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 8: Compounds of the formula Ip:



(Ip)

in which R_1, R_2, R_3, R_4, X_1 and p have the same meaning as given for the radical A, and n is 0, 1 or 2:

A	A	A	A	A	A	A	A	A	A	A	A
-	-	-	-	-	-	-	A8	A9	A10	A11	A12
A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24
A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48
A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72
A73	A74	A75	A76	A77	A78	A79	A80	A81	A82	A83	A84
A85	A86	A87	A88	A89	A90	-	-	-	-	-	-
-	-	A99	A100	A101	A102	A103	A104	A105	A106	A107	A108
A109	A110	A111	A112	A113	A114	A115	A116	A117	A118	A119	A120
A121	A122	A123	A124	A125	A126	A127	A128	A129	A130	A131	A132
A133	A134	A135	A136	A137	A138	A139	A140	A141	A142	A143	A144
A145	A146	A147	A148	A149	A150	A151	A152	A153	A154	A155	A156
A157	A158	A159	A160	A161	A162	A163	A164	A165	A166	A167	A168
A169	A170	A171	A172	A173	A174	A175	A176	A177	A178	A179	A180
A181	A182	A183	A184	A185	A186	A187	A188	A189	A190	A191	A192
A193	A194	A195	A196	A197	A198	A199	A200	A201	A202	A203	A204
A205	A206	A207	A208	A209	A210	A211	A212	A213	A214	A215	A216
A217	A218	A219	A220	A221	A222	A223	A224	A225	A226	A227	A228
A229	A230	A231	A232	A233	A234	A235	A236	A237	A238	A239	A240
A241	A242	A243	A244	A245	A246	A247	A248	A249	A250	A251	A252
A253	A254	A255	A256	A257	A258	A259	A260	A261	A262	A263	A264
A265	A266	A267	A268	A269	A270	A271	A272	A273	A274	A275	A276
A277	A278	A279	A280	A281	A282	A283	A284	A285	A286	A287	A288
A289	A290	A291	A292	A293	A294	A295	A296	A297	A298	A299	A300
A301	A302	A303	A304	A305	A306	A307	A308	A309	A310	A311	A312
A313	A314	A315	A316	A317	A318	A319	A320	A321	A322	A323	A324
A325	A326	A327	A328	A329	A330	A331	A332	A333	A334	A335	A336
A337	A338	A339	A340	A341	A342	A343	A344	A345	A346	A347	A348
A349	A350	A351	A352	A353	A354	A355	A356	A357	A358	A359	A360
A361	A362	A363	A364	A365	A366	A367	A368	A369	A370	A371	A372
A373	A374	A375	A376	A377	A378	A379	A380	A381	A382	A383	A384

A	A	A	A	A	A	A	A	A	A	A	A
A385	A386	A387	A388	A389	A390	A391	A392	A393	A394	A395	A396
A397	A398	A399	A400	A401	A402	A403	A404	A405	A406	A407	A408
A409	A410	A411	A412	A413	A414	A415	A416	A417	A418	A419	A420
A421	A422	A423	A424	A425	A426	A427	A428	A429	A430	A431	A432
A433	A434	A435	A436	A437	A438	A439	A440	A441	A442	A443	A444
A445	A446	A447	A448	A449	A450	A451	A452	A453	A454	A455	A456
A457	A458	A459	A460	A461	A462	A463	A464	A465	A466	A467	A468
A469	A470	A471	A472	A473	A474	A475	A476	A477	A478	A479	A480
A481	A482	A483	A484	A485	A486	A487	A488	A489	A490	A491	A492
A493	A494	A495	A496	A497	A498	A499	A500	A501	A502	A503	A504
A505	A506	A507	A508	A509	A510	A511	A512	A513	A514	A515	A516
A517	A518	A519	A520	A521	A522	A523	A524	A525	A526	A527	A528
A529	A530	A531	A532	A533	A534	A535	A536	A537	A538	A539	A540
A541	A542	A543	A544	A545	-	-	-	-	-	-	-
-	A554	A555	A556	A557	A558	A559	A560	A561	A562	A563	A564
A565	A566	A567	A568	A569	A570	A571	A572	A573	A574	A575	A576
A577	A578	A579	A580	A581	A582	A583	A584	A585	A586	A587	A588
A589	A590	A591	A592	A593	A594	A595	A596	A597	A598	A599	A600
A601	A602	A603	A604	A605	A606	A607	A608	A609	A610	A611	A612
A613	A614	A615	A616	A617	A618	A619	A620	A621	A622	A623	A624
A625	A626	A627	A628	A629	A630	A631	A632	A633	A634	A635	A636
-	-	-	-	-	-	-	A644	A645	A646	A647	A648
A649	A650	A651	A652	A653	A654	A655	A656	A657	A658	A659	A660
A661	A662	A663	A664	A665	A666	A667	A668	A669	A670	A671	A672
A685	A686	A687	A688	A689	A690	A691	A692	A693	A694	A695	A696
A697	A698	A699	A700	A701	A702	A703	A704	A705	A706	A707	A708
A709	A710	A711	A712	A713	A714	A715	A716	A717	A718	A719	A720
A721	A722	A723	A724	A725	A726	-	-	-	-	-	-
A733	A734	A735	A736	A737	A738	A739	A740	A741	A742	A743	A744
A745	A746	A747	A748	A749	A750	A751	A752	A753	A754	A755	A756
A757	A758	A759	A760	A761	A762	A763	A764	A765	A766	A767	A768
A769	A770	A771	A772	A773	A774	A775	A776	A777	A778	A779	A780
A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792

A	A	A	A	A	A	A	A	A	A	A	A
A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804
A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816
A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828
A829	A830	A831	A832	-	-	-	-	-	-	-	-

Table 9: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A10:

A10	A10	A10	A10	A10	A10	A10	A10	A10	A10	A10	A10
B1	B2	-	B4	B5	B6	B7	B8	B9	B10	B11	B12
B13	B14	B15	B16	B17	B18	B19	B20	B21	B22	B23	B24
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	B38	-	B40	B41	B42	B43	B44	B45	B46	B47	B48
B49	B50	B51	-	B53	B54	B55	B56	B57	B58	B59	B60
B61	B62	B63	B64	B65	B66	B67	B68	B69	B70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94		B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108
B109	B110	-	-	-	-	-	-	-	-	-	-

Table 10: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A10:

A10	A10	A10	A10	A10	A10	A10	A10	A10	A10	A10	A10
C1	-	C3	C4	-	C6	C7	C8	C9	C10	C11	C12
C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24
C25	C26	C27	-	-	-	-	-	-	-	-	-

Table 11: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A10:

A10	A10	A10	A10	A10	A10	A10	A10	A10	A10	A10	A10
-	-	-	D4	D5	D6	D7	D8	D9	D10	D11	D12

Table 12: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A556:

A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556
B1	B2	-	B4	B5	B6	B7	B8	B9	B10	B11	B12
B13	B14	B15	B16	B17	B18	B19	B20	B21	B22	B23	B24
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	B38	-	B40	B41	B42	B43	B44	B45	B46	B47	B48
B49	B50	B51	-	B53	B54	B55	B56	B57	B58	B59	B60
B61	B62	B63	B64	B65	B66	B67	B68	B69	B70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94		B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108

A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556
B109	B110	-	-	-	-	-	-	-	-	-	-

Table 13: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A556:

A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556
C1	-	C3	C4	-	C6	C7	C8	C9	C10	C11	C12
C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24
C25	C26	C27	-	-	-	-	-	-	-	-	-

Table 14: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A556:

A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556	A556
-	-	-	D4	D5	D6	D7	D8	D9	D10	D11	D12

Table 15: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A646:

A646	A646	A646	A646	A646	A646	A646	A646	A646	A646	A646	A646
B1	B2	-	B4	B5	B6	B7	B8	B9	B10	B11	B12
B13	B14	B15	B16	B17	B18	B19	B20	B21	B22	B23	B24
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	B38	-	B40	B41	B42	B43	B44	B45	B46	B47	B48
B49	B50	B51	-	B53	B54	B55	B56	B57	B58	B59	B60
B61	B62	B63	B64	B65	B66	B67	B68	B69	B70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94		B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108
B109	B110	-	-	-	-	-	-	-	-	-	-

Table 16: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A646:

A646	A646	A646	A646	A646	A646	A646	A646	A646	A646	A646	A646
C1	-	C3	C4	-	C6	C7	C8	C9	C10	C11	C12
C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24
C25	C26	C27	-	-	-	-	-	-	-	-	-

Table 17: Compounds of the formula I, represented as compounds of the formula

A-Q

in which A denotes A646:

A646	A646	A646	A646	A646	A646	A646	A646	A646	A646	A646	A646
-	-	-	D4	D5	D6	D7	D8	D9	D10	D11	D12

Table 18: Physical data for the compounds of the formula I given in the tables above: (the melting points are given in °C.)

Compound	m.p. (range)	Phys. state
A1-C2	138-140	crystalline
A2-C2	138-140	crystalline
A833-B52 (K^+)	145-150	crystalline
A833-B52 (H4)	-	oil
A830-B52	-	amorphous/liquid
A829-B52	-	oil
A829-B1	-	oil
A10-B52 (H3)	54-56	crystalline
A10-B1	71-73	crystalline
A10-B3	-	viscous
A10-B14	-	viscous
A10-B39	99-100	crystalline
A736-B52	100-102	crystalline
A10-C2 (H6)	-	viscous
A57-B52 (H5)	54-56	crystalline
A18-B52	71-74	crystalline
A8-B52	95-98	crystalline
A19-B52	53-55	crystalline
A1-C5	32-34	crystalline
A2-C5	32-33	crystalline
A10-C5	-	resin
A11-C5	38-39	crystalline
A11-B52	-	resin
A834-B52	-	crystalline
A835-B52	-	viscous
A854-B52	-	viscous
A90-B52	-	viscous

Compound	m.p. (range)	Phys. state
A33-B52	113-115	crystalline
A556-B52	-	crystalline
A646-B52	-	viscous
A868-B52	106-107	crystalline
A855-B52	-	viscous
A817-B52	-	viscous
A819-B52	-	crystalline
A856-B52	-	solid
A857-B52	-	viscous
A63-B52	-	resin
A20-B52	-	solid
A858-B52	-	resin
A836-B52	-	crystalline
A859-B52	-	viscous
A818-B52	-	viscous
A837-B52	-	viscous
A28-B52	-	viscous
A28-B52 (Et_3NH^+)	-	crystalline
A838-B52	-	viscous
A839-B52	-	viscous
A860-B52	-	viscous
A860-B113	-	viscous
A861-B52	90-93	crystalline
A840-B52	-	oil
A841-B52	41-43	crystalline
A842-B52	-	viscous
A843-B52	-	viscous
A866-B100	96-98	crystalline
A844-B52	-	viscous
A866-B112	-	viscous
A867-B112	-	viscous
A856-B112	79-81	crystalline
A20-C5	-	viscous
A10-C28	-	resin
A11-C28	-	resin

Compound	m.p. (range)	Phys. state
A10-B52 (Et_3NH^+)	-	viscous
A862-B52	-	viscous
A24-B52	102-105	crystalline
A845-B52	40-44	crystalline
A837-B52 (Et_3NH^+)	-	viscous
A67-B52	68-69	crystalline
A863-B52	80-80	crystalline
A10-B17	40-42	crystalline
A846-B52	-	crystalline
A847-B52	-	viscous
A848-B52	-	crystalline
A56-B52	-	vitreous
A26-B52	-	vitreous
A849-B52	-	viscous
A10-B4	-	viscous
A865-B52	-	viscous
A850-B52	63-64	crystalline
A10-C29	-	resin
A10-B111	76-78	crystalline
A3-C5	-	resin
A834-C5	-	resin
A851-B52	-	vitreous
A852-B52	-	viscous
A10-B25	-	amorphous/liquid
A853-B52	-	viscous
A27-B52	-	oil
A864-C5	149-150	crystalline
A864-B52	110-112	crystalline
A834-B39	-	oil
A-852-OH	-	oil
A-851-OH	102-103	crystalline
A-835-OH	-	oil
A-24-OH	-	solid
A-858-OH	-	oil

Compound	m.p. (range)	Phys. state
A-859-OH	-	oil
A-864-OH	-	solid
A-851-OH	73-74	crystalline
A-848-OH	81-82	crystalline
A-27-OH	-	oil
A-855-OH	102-104	crystalline
A-90-OH	111-114	crystalline
A-124-OH	117-119	crystalline
A-834-OH	-	crystalline
A-852-OH	-	oil
A-851-OH	102-103	crystalline
A-835-OH	-	oil
A10-OH	62-63	crystalline
A830-OH	157-158	crystalline
A831-OH	188-189	crystalline
A829-OH	131-134	crystalline
A832-OH	110-112	crystalline

Table 19: Physical data for the compounds of the formula I given in the tables above: (the melting points given in °C.):

In the following formulas, end-standing valences denote methyl groups (in all cases except alkyne or alkene groups) or hydrogen (in the case of alkyne or alkene groups), for example


can be also drawn as

and


can be also drawn as


Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.001		138-140 crystalline
1.002		145-150 crystalline
1.003		oil

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.004		oil
1.005		oil
1.006		oil
1.007		54-56 crystalline
1.008		crystalline
1.009		viscous, 1H NMR; 1.82 (s); 3.26 (s);3.37-3.39 (m);3.57-3.60(m); 3.71(s); 4.84 (s); 7.74 (d); 7.82 (d)

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.010		viscous
1.011		viscous
1.012		99-100 crystalline
1.013		100-102 crystalline
1.014		viscous
1.015		54-56 crystalline
1.016		71-74 crystalline
1.017		95-98 crystalline

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.018		53-55 crystalline
1.019		32-34 crystalline
1.020		32-33 crystalline
1.021		resin
1.022		38-39 crystalline
1.023		resin
1.024		crystalline

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.025		viscous
1.026		viscous
1.027		viscous
1.028		113-115 crystalline
1.029		crystalline
1.030		viscous

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.031		106-107 crystalline
1.032		viscous
1.033		viscous
1.034		crystalline
1.035		crystalline
1.036		viscous

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.037		resin
1.038		solid
1.039		resin
1.040		crystalline
1.041		viscous

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.042		viscous
1.043		viscous
1.044		viscous
1.045		crystalline
1.046		viscous
1.047		viscous

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.048		viscous
1.049		viscous
1.050		90-93
1.051		oil
1.052		41-43
1.053		viscous

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.054		viscous
1.055		96-98
1.056		viscous
1.057		viscous
1.058		viscous
1.059		79-81

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.060		viscous
1.061		viscous
1.062		resin
1.063		crystalline
1.064		viscous
1.065		102-105 crystalline

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.066		40-44 crystalline
1.067		viscous
1.068		68-69 crystalline
1.069		78-80 crystalline
1.070		40-42
1.071		crystalline

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.072		viscous
1.073		46-47 crystalline
1.074		vitreous
1.075		vitreous
1.076		75-76
1.077		viscous

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.078		viscous
1.079		viscous
1.080		63-64 crystalline
1.081		resin
1.082		76-78 crystalline
1.083		resin

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.084		resin
1.085		vitreous
1.086		viscous
1.087		oil
1.088		viscous
1.089		oil

Comp. No.	Corresponding Formula	m.p. (range) Phys. state
1.090		149-150 crystalline
1.091		110-112 crystalline
1.092		crystalline

Biological examples

Example B1: Herbicidal action before emergence of the plants (pre-emergence action)

Monocotyledonous and dicotyledonous test plants are sown in standard soil in pots. Immediately after sowing, the test substances are sprayed on at an optimum dosage (500 l of water/ha) as an aqueous suspension (prepared from a wettable powder (example F3, b) according to WO 97/34485) or emulsion (prepared from an emulsion concentrate (example F1, c) according to WO 97/34485). The test plants are then grown under optimum conditions in a greenhouse.

After a test period of 4 weeks, the test is evaluated using a 9-level scale of ratings (1 = complete damage, 9 = no effect). Ratings of 1 to 4 (in particular 1 to 3) mean good to very good herbicidal action.

Table B1: Pre-emergence action: ("NT" means "not tested"):

Compound	g/ha	Panicum	Digitaria	Echino.	Abutilon	Amaranthus	Chenop.
A10-B1	250	2	2	2	1	1	1
A10-B52, (H3)	250	1	1	1	1	1	1
A830-B52	250	4	9	3	5	4	4
A1-C2	250	6	3	3	4	3	1
A833-B52 (K+)	250	1	2	2	1	2	1
A833-B52, (H4)	250	1	1	1	1	1	1
A10-B1	250	2	2	2	1	1	1
A10-B3	250	1	1	1	1	1	1
A10-B14	250	3	6	3	1	1	1
A10-B39	250	1	1	1	1	1	1
A736-B52	250	1	4	2	1	1	1
A10-C2 (H6)	250	3	3	3	1	2	1
A57-B52 (H5)	250	1	1	1	1	1	1
A18-B52	250	1	1	1	2	2	NT
A8-B52	250	1	1	1	1	1	NT
A19-B52	250	1	1	1	1	2	NT
A1-C5	250	2	2	1	2	2	1
A2-C5	250	1	2	2	1	1	1
A10-C5	250	2	3	1	1	1	1
A11-C5	250	1	2	1	1	1	1
A11-B52	250	1	1	1	1	2	1
A834-B52	250	1	1	1	1	2	1
A835-B52	250	1	2	1	2	1	2
A556-B52	250	1	1	1	1	2	1
A646-B52	250	1	1	1	1	2	1
A819-B52	250	7	9	7	1	2	1
A63-B52	250	2	3	1	5	3	NT
A20-B52	250	1	1	1	3	3	NT
A836-B52	250	1	2	1	5	2	3
A837-B52	250	1	2	2	1	2	NT
A28-B52	250	1	2	2	2	3	NT
A28-B52 (Et_3NH^+)	250	1	2	2	3	1	NT

Compound	g/ha	Panicum	Digitaria	Echino.	Abutilon	Amaranthus	Chenop.
A838-B52	250	1	3	2	1	1	1
A839-B52	250	1	3	2	1	1	1
A840-B52	250	1	2	2	2	2	1
A841-B52	250	1	2	1	1	1	1
A842-B52	250	1	6	2	2	2	1
A843-B52	250	1	2	2	1	1	1
A844-B52	250	1	2	2	1	1	1
A20-C5	250	1	2	2	1	1	1
A10-C28	250	1	3	2	1	1	1
A11-C28	250	2	2	1	2	1	1
A10-B52 (Et3NH+)	250	1	1	2	1	1	1
A24-B52	250	1	1	1	1	1	1
A845-B52	250	1	1	1	1	1	1
A837-B52 (Et3NH+)	250	1	1	2	1	1	1
A67-B52	250	1	2	2	3	2	1
A10-B17	250	1	1	1	4	2	1
A846-B52	250	1	1	1	2	1	1
A847-B52	250	1	3	2	4	1	4
A848-B52	250	1	1	1	7	1	1
A56-B52	250	1	2	1	3	1	1
A26-B52	250	1	1	1	1	1	1
A849-B52	250	1	2	2	2	1	1
A10-B4	250	2	3	1	3	1	1
A850-B52	250	1	2	1	1	2	1
A10-C29	250	2	2	1	1	1	NT
A10-B111	250	1	1	1	1	1	NT
A3-C5	250	1	2	2	1	1	NT
A834-C5	250	1	3	1	1	2	NT
A851-B52	250	1	1	1	1	1	1
A852-B52	250	1	1	1	4	1	2
A10-B25	250	1	1	2	1	1	1
A853-B52	250	1	1	2	1	1	2
A27-B52	250	1	2	3	4	1	3

The same results are obtained when the compounds of the formula I are formulated according to the other examples of WO 97/34485.

Example B2: Post-emergence herbicidal action

Monocotyledonous and dicotyledonous test plants are grown in standard soil in pots. At the 2- to 3-leaf stage of the test plants, the test substances are sprayed at optimum dosage (500 l of water/ha) as an aqueous suspension (prepared from a wettable powder (example F3, b) according to WO 97/34485) or emulsion (prepared from an emulsion concentrate (example F1, c) according to WO 97/34485). The test plants are then grown further under optimum conditions in a greenhouse.

After a test period of 2 to 3 weeks, the test is evaluated using a 9-level scale of rating (1 = complete damage, 9 = no effect). Ratings of 1 to 4 (in particular 1 to 3) mean good to very good herbicidal action.

Table B2: Post-emergence action:

Compound	g/ha	Panicum	Digitaria	Echino.	Abutilon	Xanth.	Ipopur.	Amaranth	Chenop.
A10-B1	250	2	2	2	2	2	2	2	1
A10-B52, (H3)	250	1	1	2	1	2	2	2	1
A830-B52	250	4	9	3	5	4	5	4	4
A829-B52	250	2	6	4	3	6	4	2	2
A829-B1	250	7	9	7	7	4	6	2	2
A1-C2	250	7	8	4	3	4	3	2	4
A833-B52 (K+)	250	3	3	4	3	2	3	3	3
A833-B52, (H4)	250	3	3	4	3	1	2	2	3
A10-B3	250	1	1	3	1	1	2	1	1
A10-B14	250	2	2	3	2	2	2	2	1
A10-B39	250	1	3	3	1	2	2	1	1
A736-B52	250	1	1	2	1	2	2	1	1
A10-C2 (H6)	250	2	4	3	2	1	3	1	1
A57-B52 (H5)	250	1	1	2	1	2	2	1	1
A18-B52	250	1	1	2	1	2	2	1	1
A8-B52	250	1	1	1	1	2	1	1	1
A19-B52	250	1	1	2	1	2	1	1	1

Compound	g/ha	Panicum	Digitaria	Echino.	Abutilon	Xanth.	Ipopur.	Amaranth	Chenop.
A1-C5	250	4	2	2	2	4	2	2	1
A2-C5	250	1	2	2	2	2	2	1	1
A10-C5	250	2	2	2	2	2	2	1	1
A11-C5	250	1	2	2	2	2	2	2	1
A11-B52	250	1	1	2	2	2	2	1	1
A834-B52	250	1	1	2	2	2	2	1	1
A835-B52	250	1	1	2	2	3	2	2	1
A854-B52	250	1	2	2	2	2	2	1	1
A90-B52	250	2	2	3	2	3	4	3	1
A33-B52	250	2	2	2	2	3	2	2	1
A558-B52	250	1	2	2	1	2	2	2	1
A646-B52	250	1	2	2	2	2	2	2	1
A855-B52	250	2	2	2	2	2	2	2	1
A817-B52	250	1	2	2	2	2	2	2	1
A819-B52	250	2	3	2	2	2	2	2	1
A856-B52	250	2	2	2	2	2	1	2	1
A857-B52	250	2	2	2	2	2	2	2	1
A63-B52	250	1	2	2	2	2	2	2	2
A20-B52	250	1	2	2	2	2	2	2	1
A858-B52	250	2	2	2	2	2	2	1	2
A836-B52	250	2	2	2	2	3	3	2	1
A859-B52	250	1	2	2	2	2	2	2	1
A818-B52	250	2	2	3	2	2	2	2	1
A837-B52	250	1	2	2	2	2	2	1	1
A28-B52	250	1	2	2	2	3	4	1	1
A28-B52 (Et3NH+)	250	1	2	2	2	3	2	2	1
A838-B52	250	2	2	3	1	2	2	2	1
A839-B52	250	2	2	2	2	2	2	2	1
A860-B52	250	2	1	2	2	2	2	2	1
A861-B52	250	2	3	5	3	2	2	2	1
A840-B52	250	2	3	4	3	3	3	2	1
A841-B52	250	2	4	4	3	3	3	1	1
A842-B52	250	3	3	5	3	3	3	2	1
A843-B52	250	2	3	3	3	3	6	3	1

Compound	g/ha	Panicum	Digitaria	Echino.	Abutilon	Xanth.	Ipopur.	Amaranth	Chenop.
A844-B52	250	2	3	4	3	3	3	3	1
A856-B112	250	3	3	5	2	3	3	3	1
A20-C5	250	2	3	4	3	3	3	2	1
A10-C28	250	4	4	4	3	3	3	2	1
A11-C28	250	3	4	4	3	3	3	2	1
A10-B52									
(Et3NH+)	250	2	2	2	2	2	2	2	1
A862-B52	250	2	2	3	3	2	5	2	1
A24-B52	250	2	2	2	2	2	2	2	1
A845-B52	250	2	2	2	2	2	2	2	1
A837-B52									
(Et3NH+)	250	2	2	2	2	2	2	2	1
A67-B52	250	2	2	2	2	2	3	2	1
A863-B52	250	2	2	3	2	2	3	2	1
A10-B17	250	2	1	2	2	2	2	2	1
A846-B52	250	1	2	2	2	2	1	2	2
A847-B52	250	1	2	1	2	2	4	3	1
A848-B52	250	2	2	2	2	2	2	1	1
A56-B52	250	1	2	2	2	2	2	1	1
A26-B52	250	2	2	2	2	2	2	2	1
A849-B52	250	2	2	3	2	2	2	2	2
A10-B4	250	1	1	2	1	2	1	2	1
A850-B52	250	2	2	2	2	2	2	2	1
A10-C29	250	2	3	3	2	2	1	2	1
A10-B111	250	2	2	3	3	3	3	2	1
A3-C5	250	3	4	3	3	3	3	3	1
A851-B52	250	3	3	4	3	3	3	2	1
A852-B52	250	3	4	4	3	3	3	3	1
A10-B25	250	3	4	4	3	3	3	2	1
A27-B52	250	1	2	2	3	2	4	2	5
A864-C5	250	1	2	2	2	2	2	1	1
A864-B52	250	2	2	2	2	2	2	2	1

The same results are obtained when the compounds of the formula I are formulated according to the other examples of WO 97/34485.

WHAT IS CLAIMED IS:

1. A compound of the formula I



(I),

in which

p is 0 or 1;

R_1 is a C_1-C_6alkylene, C_3-C_6alkenylene or C_3-C_6alkynylene chain which may be mono- or polysubstituted by halogen or R_5, where the unsaturated bonds of the chain are not attached directly to the substituent X_1;

X_1 is oxygen, -O(CO)-, -(CO)O-, -O(CO)O-, -N(R_6)-O-, -O-NR_{51}-, thio, sulfinyl, sulfonyl, -SO_2NR_7-, -$NR_{52}SO_2$- or –NR_8-;

R_2 is a C_1-C_6alkyl, C_3-C_6alkenyl or C_3-C_6alkynyl group which is mono- or polysubstituted by halogen, hydroxyl, amino, formyl, nitro, cyano, mercapto, carbamoyl, C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_3-C_6cycloalkyl, by halogen-substituted C_3-C_6cycloalkyl, or by C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, C_1-C_6haloalkoxy, C_3-C_6haloalkenyloxy, cyano-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkylthio-C_1-C_6alkoxy, C_1-C_6alkylsulfinyl-C_1-C_6alkoxy, C_1-C_6alkylsulfonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_1-C_6alkylcarbonyl, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylthio, C_1-C_6haloalkylsulfinyl, C_1-C_6haloalkylsulfonyl, oxiranyl, which for its part may be substituted by C_1-C_6alkyl, or by (3-oxetanyl)oxy, which for its part may be substituted by C_1-C_6alkyl, or by benzylthio, benzylsulfinyl, benzylsulfonyl, C_1-C_6alkylamino, di(C_1-C_6alkyl)amino, $R_9S(O)_2O$, $R_{10}N(R_{11})SO_2$-, thiocyanato, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl;

where the phenyl- or benzyl-containing groups for their part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro groups, or

R_2 is phenyl which may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro; or
R_2 is C_3-C_6cycloalkyl, C_1-C_6alkoxyl- or C_1-C_6alkyl-substituted C_3-C_6cycloalkyl, 3-oxetanyl or C_1-C_6alkyl-substituted 3-oxetanyl;
or, if Q is Q_2 or Q_3, or is Q_1 in which R_{14} and R_{22} are a C_2-C_3alkylene chain, R_2 is additionally also a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic, saturated or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, where the ring system is attached directly or via a C_1-C_4alkylene, C_2-C_4alkenyl-C_1-C_4alkylene, C_2-C_4alkynyl-C_1-C_4alkylene, -N(R_{12})-C_1-C_4alkylene, -SO-C_1-C_4alkylene or -SO_2-C_1-C_4alkylene group to the substituent X_1 and where each ring system may not contain more than two oxygen atoms and not more than two sulfur atoms and the ring system for its part may be mono-, di- or trisubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_1-C_6alkoxy, hydroxyl, C_1-C_6haloalkoxy, C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, mercapto, C_1-C_6alkylthio, C_1-C_6haloalkylthio, C_3-C_6alkenylthio, C_3-C_6haloalkenylthio, C_3-C_6alkynylthio, C_2-C_5alkoxyalkylthio, C_3-C_5acetylalkylthio, C_3-C_6alkoxycarbonylalkylthio, C_2-C_4cyanoalkylthio, C_1-C_6alkylsulfinyl, C_1-C_6haloalkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylsulfonyl, aminosulfonyl, C_1-C_6alkylaminosulfonyl, di(C_1-C_6alkyl)aminosulfonyl, di(C_1-C_6alkyl)amino, halogen, cyano, nitro, phenyl and benzylthio, where phenyl and benzylthio for their part may be substituted on the phenyl ring by C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_1-C_3haloalkoxy, halogen, cyano or nitro, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen; or
R_2 is hydrogen or unsubstituted C_1-C_6alkyl if
a) R_1 is substituted by the group R_6, or
b) Q is the group Q_2, or
c) Q is the group Q_3 in which X_1 is -O(CO)-, -(CO)O-, -N(R_6)-O-, -O-NR_{51}-, -SO_2NR_7-, -$NR_{52}SO_2$- or –NR_8-; or
d) Q is the group Q_1 in which X_1 is -N(R_6)-O-, -O-NR_{51}-, -SO_2NR_7-, -$NR_{52}SO_2$- or –NR_8-, or
e) Q is the group Q_1 in which R_{14} and R_{22} in Q_1 are a C_2-C_3alkylene chain and X_1 is -O(CO)- or -(CO)O-,
R_3 is C_1-C_3haloalkyl;
R_4 is hydrogen, halogen, C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_1-C_3alkoxy-C_1-C_3alkyl or C_1-C_3alkoxy-C_1-C_3alkoxy;

R_5 is hydroxyl, C_1-C_6alkoxy, C_3-C_6cycloalkyloxy, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy or C_1-C_2alkylsulfonyloxy;

R_6, R_7, R_8, R_9, R_{10}, R_{11}, R_{12}, R_{51} and R_{52} independently of one another are hydrogen, C_1-C_3alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxycarbonyl, C_1-C_6alkylcarbonyl, C_1-C_6alkoxy-C_1-C_6alkyl, C_1-C_6alkoxy-C_1-C_6alkyl substituted by C_1-C_6alkoxy, benzyl or phenyl, where phenyl and benzyl for their part may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro; where R_8 and R_9 are not simultaneously hydrogen and hydrogen, C_1-C_6alkoxycarbonyl or C_1-C_6alkylcarbonyl, respectively;

Q is Q_1



(Q_1);

in which

A_1 is $C(R_{14}R_{15})$, NR_{16} or oxygen;

A_2 is $C(R_{17}R_{18})$, C(O), -C=N-O-R_{19}, oxygen, thio, sulfinyl, sulfonyl, -NR_{20} or ethylene; with the provisos that A_1 is different from oxygen if A_2 is oxygen, C(O), thio, sulfinyl, -C=N-O-R_{19}, NR_{20} or $C(R_{17}R_{18})$, where R_{17} and R_{18} independently of one another are C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl; and A_1 is different from NR_{16} if A_2 is thio, sulfinyl or $C(R_{17}R_{18})$, where R_{17} and R_{18} independently of one another are C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl; R_{14} and R_{22} independently of one another are hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl, C_1-C_4alkylsulfonyloxy, C_1-C_4alkoxy, C_1-C_4alkoxycarbonyl or C_1-C_4alkylcarbonyl;

R_{15} and R_{21} independently of one another are hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_4alkenyl or C_3-C_4alkynyl;

R_{17} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl or C_1-C_4alkylsulfonyl;

R_{18} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, C_1-C_4alkoxy, C_1-C_4alkylthio, C_1-C_4alkylsulfinyl, C_1-C_4alkylsulfonyl or C_1-C_4dialkoxyalkyl-C_1-C_4alkyl;

R_{20} is C_1-C_4alkyl, C_3-C_6cycloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, C_1-C_4alkylcarbonyl, C_1-C_4alkylcarbonyloxy, di(C_1-C_4alkyl)aminocarbonyl or benzyl, where the phenyl group may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro;

R_{19} and R_{16} independently of one another are hydrogen, C_1-C_4alkyl, C_3-C_6cycloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl, benzyl or phenyl, where phenyl and benzyl for their part may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro;

or R_{14} and R_{22} together form a C_2-C_3alkylene chain;

or R_{14} and R_{15} together and/or R_{17} and R_{18} together and/or R_{21} and R_{22} together form a C_2-C_4alkylene chain which may be interrupted by oxygen and/or carbonyl and/or sulfur, with the proviso that the oxygen and sulfur atoms are separated by at least one methylene group;

or R_{14} and R_{18} together form a C_2-C_4alkylene chain; or

R_{22} and R_{18} together form a C_2-C_4alkylene chain;

or R_{18} together with R_{22} or R_{14} forms a direct bond;

or R_{16} and R_{18} together form a C_2-C_4alkylene chain;

R_{13} is hydroxyl, O^-M^+, where M^+ is an alkali metal cation or ammonium cation, halogen, C_1-C_{12}alkylsulfonyloxy, amino, C_1-C_4alkylthio, C_1-C_{12}alkylsulfinyl, C_1-C_{12}alkylsulfonyl, C_1-C_{12}haloalkylthio, C_1-C_{12}haloalkylsulfinyl, C_1-C_{12}haloalkylsulfonyl, C_1-C_6alkoxy-C_1-C_6alkylthio, C_1-C_6alkoxy-C_1-C_6alkylsulfinyl, C_1-C_6alkoxy-C_1-C_6alkylsulfonyl, C_3-C_{12}alkenylthio, C_3-C_{12}alkenylsulfinyl, C_3-C_{12}alkenylsulfonyl, C_3-C_{12}alkynylthio, C_3-C_{12}alkynylsulfinyl, C_3-C_{12}alkynylsulfonyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylthio, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfinyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfonyl, (C_1-C_4alkoxy)$_2$P(O)O, C_1-C_4alkyl-(C_1-C_4alkoxy)P(O)O, H(C_1-C_4alkoxy)P(O)O, $R_{23}R_{24}NR_{25}R_{26}N$, NH, $R_{27}R_{28}NC(O)O$-, $R_{29}R_{30}NC(O)NH$-, C_1-C_{18}alkylcarbonyloxy, C_2-C_{18}alkenylcarbonyloxy, C_2-C_{18}alkynylcarbonyloxy, C_3-C_6cycloalkylcarbonyloxy, C_1-C_{12}alkoxycarbonyloxy, C_1-C_{12}alkylthiocarbonyloxy, C_1-C_{12}alkylthiocarbamoyl, where the alkyl, alkenyl and alkynyl groups may be substituted by halogen, C_1-C_6alkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl or cyano;

or R_{13} is phenoxy, phenylthio, phenylsulfinyl, phenylsulfonyl, phenylsulfonylamino, phenylsulfonyloxy or benzoyloxy, where the phenyl groups for their part may be substituted by one or more halogen, nitro, cyano, C_1-C_4alkyl, C_1-C_4haloalkyl, C_1-C_4alkoxy or C_1-C_4haloalkoxy groups;

or R_{13} is a group Het_1-thio, Het_2-sulfinyl, Het_3-sulfonyl, Het_4-(CO)O or Het_5-N(R_{33}); in which

Het_1, Het_2, Het_3, Het_4 and Het_5 independently of one another are a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, and where each ring system may not contain more than 2 oxygen atoms and not more than 2 sulfur atoms, and where the ring system itself can be substituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, di(C_1-C_4alkyl)aminosulfonyl, di(C_1-C_4alkyl)amino, halogen, cyano, nitro or phenyl, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen;

R_{23}, R_{24}, R_{25}, R_{26}, R_{27}, R_{28}, R_{29}, R_{30} and R_{33} independently of one another are hydrogen or C_1-C_6alkyl;

or R_{23} and R_{24} together or R_{25} and R_{26} together or R_{27} and R_{28} together or R_{29} and R_{30} together are pyrolidino, piperidino, morpholino, thiomorpholino, which may be mono- or polysubstituted by methyl groups;

or Q is Q_2



(Q_2);

in which

R_{34} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_6cycloalkyl, C_2-C_4alkenyl, C_2-C_4alkynyl or benzyl, where the phenyl group may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro;

R_{35} is hydrogen, C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_6cycloalkyl, C_3-C_4alkenyl, C_3-C_4alkynyl or benzyl, where the phenyl group may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro;

R_{36} is hydroxyl, O^-M^+, where M^+ is an alkali metal cation or ammonium cation, halogen, C_1-C_{12}alkylsulfonyloxy, amino, C_1-C_4alkylthio, C_1-C_{12}alkylsulfinyl, C_1-C_{12}alkylsulfonyl, C_1-C_{12}haloalkylthio, C_1-C_{12}haloalkylsulfinyl, C_1-C_{12}haloalkylsulfonyl, C_1-C_6alkoxy-C_1-C_6alkylthio, C_1-C_6alkoxy-C_1-C_6alkylsulfinyl, C_1-C_6alkoxy-C_1-C_6alkylsulfonyl, C_3-C_{12}alkenylthio, C_3-C_{12}alkenylsulfinyl, C_3-C_{12}alkenylsulfonyl, C_3-C_{12}alkynylthio, C_3-C_{12}alkynylsulfinyl, C_3-C_{12}alkynylsulfonyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylthio, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfinyl, C_1-C_4alkoxycarbonyl-C_1-C_4alkylsulfonyl,

$(C_1$-C_4alkoxy$)_2$P(O)O, C_1-C_3alkyl-(C_1-C_4alkoxy)P(O)O, H(C_1-C_4alkoxy)P(O)O, $R_{37}R_{38}$N, $R_{39}R_{40}$NNH, $R_{41}R_{42}$NC(O)O-, $R_{43}R_{44}$NC(O)NH-, C_1-C_{18}alkylcarbonyloxy, C_2-C_{18}alkenylcarbonyloxy, C_2-C_{18}alkynylcarbonyloxy, C_3-C_6cycloalkylcarbonyloxy, C_1-C_{12}alkoxycarbonyloxy, C_1-C_{12}alkylthiocarbonyloxy or C_1-C_{12}alkylthiocarbamoyl, where the alkyl, alkenyl and alkynyl groups may be substituted by halogen, C_1-C_6alkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl or cyano; or

R_{36} is phenoxy, phenylthio, phenylsulfinyl, phenylsulfonyl, phenylsulfonylamino, phenylsulfonyloxy or benzoyloxy, where the phenyl groups for their part may be mono- or polysubstituted by halogen, nitro, cyano, C_1-C_4alkyl, C_1-C_4haloalkyl, C_1-C_4alkoxy, C_1-C_4haloalkoxy,

or R_{36} is a group Het_7-thio, Het_8-sulfinyl, Het_9-sulfonyl, Het_{10}-(CO)O or Het_{11}-N(R_{47}); in which Het_7, Het_8, Het_9, Het_{10} and Het_{11} independently of one another are a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, and where each ring system may not contain more than 2 oxygen atoms and not more than 2 sulfur atoms, and where the ring system for its part may be substituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, di(C_1-C_4alkyl)aminosulfonyl, di(C_1-C_4alkyl)amino, halogen, cyano, nitro or phenyl, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen;

R_{37}, R_{38}, R_{39}, R_{40}, R_{41}, R_{42}, R_{43}, R_{44} and R_{47} independently of one another are hydrogen or C_1-C_6alkyl; or

R_{37} and R_{38} together or R_{39} and R_{40} together or R_{41} and R_{42} together or R_{43} and R_{44} together are pyrrolidino, piperidino, morpholino, thiomorpholino, which may be mono- or polysubstituted by methyl groups;

or Q is Q_3



(Q_3);

in which

R_{49} is C_1-C_4alkyl, C_1-C_4haloalkyl, C_3-C_6cycloalkyl or halogen-substituted C_3-C_6cycloalkyl;

R_{50} is C_1-C_3alkylene which may be substituted by halogen, hydroxyl, C_1-C_6alkoxy, C_2-C_6alkenyl, C_2-C_6alkynyl, C_3-C_6cycloalkyl, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy, (3-oxetanyl)oxy, or by C_1-C_6alkyl-substituted (3-oxetanyl)oxy, or by benzylthio, benzylsulfinyl, benzylsulfonyl, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, where the phenyl- and benzyl-containing groups for their part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro groups;
or R_{50} is phenyl, where the phenyl-containing group for its part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro,
or R_{50} is C_3-C_6cycloalkyl, C_1-C_5alkoxy- or C_1-C_6alkyl-substituted C_3-C_6cycloalkyl, 3-oxetanyl or C_1-C_6alkyl-substituted 3-oxetanyl; and
n is 0, 1 or 2; and agronomically acceptable salts/N-oxides/isomers/enantiomers of this compound.

2. A process for preparing compounds of the formula I as claimed in claim 1, which comprises, to prepare compounds of the formula I, in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I and Q is a group Q_1, either a) reacting a compound of the formula Ia



(Ia),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I and Y_1 is a leaving group, in an inert organic solvent in the presence of a base with a compound of the formula II



(II),

in which R_{22}, R_{21}, A_2 and A_1 are as defined under formula I, to give the compounds of the formulae IIIa and IIIb



IIIa



IIIb

and then isomerizing these in the presence of a base and a catalytic amount of dimethylaminopyridine (DMAP) or a source of cyanide, for example acetone cyanohydrin; or

b) reacting a compound of the formula Ib



(Ib),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I, with a compound of the formula II



(II),

in which R_{22}, R_{21}, A_1 and A_2 are as defined under formula I, in an inert organic solvent in the presence of a base and a coupling agent to give the compound of the formula IIIa or IIIb,

and then isomerizing these as described under route a); or, to prepare the compounds of the formula I, in which Q is a group Q_2, either a) reacting a compound of the formula Ia



(Ia),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I and Y_1 is a leaving group, with a compound of the formula IIa



(IIa),

in which R_{34} and R_{35} are as defined under formula I, in an inert organic solvent in the presence of a base to give the compound of the formula IIIc



IIIc

in which R_1, R_2, R_3, R_4, R_{34}, R_{35} and X_1 are as defined under formula I,
and then isomerizing this compound in the presence of a base and a catalytic amount of a source of cyanide; or
b) reacting a compound of the formula Ib



(Ib),

in which R_1, R_2, R_3, R_4 and X_1 are as defined under formula I, with a compound of the formula IIa



(IIa),

in which R_{34} and R_{35} are as defined above, in an inert organic solvent in the presence of a base and a coupling agent to give the compound of the formula IIIc



(IIIc),

and then isomerizing this compound as described under route a); or, to prepare compounds of the formula I, in which Q is a group



(Q_3),

in which n is 0 and R_{50} and R_{49} are as defined above, either a) converting a compound of the formula IV



(IV),

in which X_1, R_1, R_2, R_3, R_4 and R_{49} are as defined above, in the presence of a base, carbon disulfide and an alkylating agent of the formula V

$$R_{50}\text{-}Y_2 \qquad (V),$$

in which R_{50} is as defined under formula I, and Y_2 is a leaving group, into the compound of the formula VI



(VI),

in which R_1, R_2, R_3, R_4, R_{50}, X_1 and R_{49} are as defined under formula I, and then cyclizing this compound with hydroxylamine hydrochloride in the presence of a base to give the isomeric compounds of the formulae Ic and Id



(Ic)

and



(Id)

and then oxidizing these compounds with an oxidizing agent, for example with peracids, to give the corresponding sulfoxides (n = 1) and sulfones (n = 2) of the formulae Ie and If, respectively.

3. A herbicidal and plant-growth-inhibiting composition, which contains a herbicidally effective amount of a compound of the formula I on an inert carrier.

4. A method for controlling undesirable plant growth, wherein a herbicidally effective amount of an active compound of the formula I or a composition which contains this active compound is applied to the plants or their habitat.

5. A method for inhibiting plant growth, wherein a herbicidally effective amount of an active compound of the formula I or a composition which contains this active compound is applied to the plants or their habitat.

6. A compound of the formula XX



(XX),

in which

Q is hydroxyl, halogen, cyano or C_1-C_6alkoxy, or is a group of the formula



or $-CH_2(CO)R_{49}$; and

R_1, R_3, R_4, R_{49}, R_{50}, X_1 and p are as defined under formula I and R_2 is a C_1-C_6alkyl, C_3-C_6alkenyl or C_3-C_6alkynyl group which is mono- or polysubstituted by halogen, hydroxyl, amino, formyl, nitro, cyano, mercapto, carbamoyl, C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_3-C_6cycloalkyl, by halogen-substituted C_3-C_6cycloalkyl, or by C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, C_1-C_6haloalkoxy, C_3-C_6haloalkenyloxy, cyano-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkoxy-C_1-C_6alkoxy-C_1-C_6alkoxy, C_1-C_6alkylthio-C_1-C_6alkoxy, C_1-C_6alkylsulfinyl-C_1-C_6alkoxy, C_1-C_6alkylsulfonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl-C_1-C_6alkoxy, C_1-C_6alkoxycarbonyl, C_1-C_6alkylcarbonyl, C_1-C_6alkylthio, C_1-C_6alkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylthio, C_1-C_6haloalkylsulfinyl, C_1-C_6-haloalkylsulfonyl, oxiranyl, which for its part may be substituted by C_1-C_6alkyl, or by (3-oxetanyl)oxy, which for its part may be substituted by C_1-C_6alkyl, or by benzylthio, benzylsulfinyl, benzylsulfonyl, C_1-C_6alkylamino, di(C_1-C_6alkyl)amino, $R_9S(O)_2O$, $R_{10}N(R_{11})SO_2$-, thiocyanato, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl; where the phenyl- or benzyl-containing groups for their part may be substituted by one or more C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro groups, or

R_2 is phenyl which may be mono- or polysubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6alkoxy, C_1-C_6haloalkoxy, halogen, cyano, hydroxyl or nitro; or

R_2 is C_3-C_6cycloalkyl, C_1-C_6alkoxy- or C_1-C_6alkyl-substituted C_3-C_6cycloalkyl, 3-oxetanyl or C_1-C_6alkyl-substituted 3-oxetanyl;

or

if X_1 is $-N(R_6)$-O-, -O-NR_{51}, SO_2NR_7- or -$NR_{52}SO_2$- and R_6, R_7, R_{51} and R_{52} are as defined under formula I,

R_2 may additionally be hydrogen, unsubstituted C_1-C_6alkyl, or

a five- to ten-membered monocyclic or fused bicyclic ring system which may be aromatic, saturated or partially saturated and may contain 1 to 4 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur, where the ring system is attached directly or via a

C_1-C_4alkylene, C_2-C_4alkenyl-C_1-C_4alkylene, C_2-C_4alkynyl-C_1-C_4alkylene, -N(R_{17})-C_1-C_4alkylene, -SO-C_1-C_4alkylene or -SO_2-C_1-C_4alkylene group to the substituent X_1, and where each ring system may not contain more than 2 oxygen atoms and not more than two sulfur atoms, and where the ring system for its part may be mono-, di- or trisubstituted by C_1-C_6alkyl, C_1-C_6haloalkyl, C_2-C_6alkenyl, C_2-C_6haloalkenyl, C_2-C_6alkynyl, C_2-C_6haloalkynyl, C_1-C_6alkoxy, hydroxyl, C_1-C_6haloalkoxy, C_3-C_6alkenyloxy, C_3-C_6alkynyloxy, mercapto, C_1-C_6alkylthio, C_1-C_6-haloalkylthio, C_3-C_6alkenylthio, C_3-C_6haloalkenylthio, C_3-C_6alkynylthio, C_2-C_6alkoxyalkylthio, C_3-C_6acetylalkylthio, C_3-C_6alkoxycarbonylalkylthio, C_2-C_4cyanoalkylthio, C_1-C_6alkylsulfinyl, C_1-C_6haloalkylsulfinyl, C_1-C_6alkylsulfonyl, C_1-C_6haloalkylsulfonyl, aminosulfonyl, C_1-C_2alkylaminosulfonyl, di(C_1-C_2alkyl)aminosulfonyl, di(C_1-C_4alkyl)amino, halogen, cyano, nitro, phenyl and benzylthio, where phenyl and benzylthio for their part may be substituted on the phenyl ring by C_1-C_3alkyl, C_1-C_3haloalkyl, C_1-C_3alkoxy, C_1-C_3haloalkoxy, halogen, cyano or nitro, and where the substituents on the nitrogen in the heterocyclic ring are different from halogen.

INTERNATIONAL SEARCH REPORT

International Application No
PC[illegible]P 01/06430

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C07D401/06 C07D405/06 C07D409/06 C07D413/06 C07D417/06
C07D213/50 A01N43/40

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C07D A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	WO 00 39094 A (NOVARTIS A.-G., SWITZ.;NOVARTIS-ERFINDUNGEN VERWALTUNGSGESELLSCHAFT M.) 6 July 2000 (2000-07-06) cited in the application claim 1	1-6
X	WO 00 15615 A (NOVARTIS A.-G., SWITZ.;NOVARTIS-ERFINDUNGEN VERWALTUNGSGESELLSCHAFT M.) 23 March 2000 (2000-03-23) cited in the application claim 1	1-6
A	US 5 260 262 A (LEE, LEN FANG ET AL) 9 November 1993 (1993-11-09) claim 1	1-6

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance
"E" earlier document but published on or after the international filing date
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
"O" document referring to an oral disclosure, use, exhibition or other means
"P" document published prior to the international filing date but later than the priority date claimed
"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
23 July 2001	31/07/2001

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040 TX 31 651 epo nl Fax: (+31-70) 340-3016	Seelmann, I

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Inte nal Application No
PC T/EP 01/06430

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0039094 A	06-07-2000	AU 2101500 A	31-07-2000
WO 0015615 A	23-03-2000	AU 5862999 A	03-04-2000
		BR 9913745 A	05-06-2001
		EP 1114030 A	11-07-2001
US 5260262 A	09-11-1993	AT 184596 T	15-10-1999
		AU 3221293 A	28-06-1993
		CA 2122262 A	10-06-1993
		DE 69230003 D	21-10-1999
		DE 69230003 T	30-03-2000
		EP 0621863 A	02-11-1994
		ES 2137249 T	16-12-1999
		JP 7502993 T	30-03-1995
		US 5298479 A	29-03-1994
		WO 9311112 A	10-06-1993
		US 5380699 A	10-01-1995